

1 **Minamata Convention on Mercury**
2
3 **DRAFT Report on the work of the ad hoc technical group on effectiveness**
4 **evaluation**
5
6 **Open for comment: 1 August to 5 September 2019**
7 Comments to: mea-minamatasecretariat@un.org
8
9 Enquiries to be sent to: Claudia.tenHave@un.org and Eisaku.Toda@un.org
10
11

Table of Content	
Executive summary	
I Introduction	
II Overall description of the effectiveness evaluation framework	
III Proposed methodology and schedule for the evaluation	
IV Issues for further consideration	
Annex 1: Technical information on monitoring	
Annex 2: Draft terms of reference of the effectiveness evaluation committee	
Annex 3: Draft terms of reference of the global monitoring arrangements	
Annex 4: Description of the reports to be prepared for the Effectiveness Evaluation Committee	

12
13

14 **Executive Summary**

16 **Introduction**

18 This report proposes a framework for the effectiveness evaluation and monitoring
19 arrangements under the Minamata Convention on Mercury. The report was developed by the
20 ad hoc technical expert group based on mandates provided in decisions MC-1/9 and MC-2/10,
21 and information contained in submissions by Parties, stakeholders and other information. The
22 report represents the outcome of consultations and review performed by experts, including
23 two meetings of the ad hoc group in 2018 and 2019 respectively, with follow-up drafting and
24 reviewing by experts and commentators.

26 Building on the identification of elements for the effectiveness evaluation framework and
27 review of monitoring activities included in the first report from the ad hoc group to COP-2,
28 this report proposes a framework setting out arrangements, information flows, and the
29 required reports on which the Effectiveness Evaluation Committee will base its consideration
30 of the effectiveness of the Convention for presentation to the Conference of the Parties.

32 **Effectiveness evaluation framework**

34 In sections II and III, the report elaborates on the proposed organization of the effectiveness
35 evaluation framework.

37 The effectiveness evaluation is based on four policy questions that will allow the Conference
38 of the Parties to consider whether the Convention will achieve its objective of protecting
39 human health and the environment from the anthropogenic emissions and releases of mercury
40 and mercury compounds. The policy questions are:

- 41 1. Have the Parties taken actions to implement the Minamata Convention?
- 42 2. Have the actions resulted in changes in supply, use and emission and releases of
43 mercury to the environment?
- 44 3. Have these changes resulted in changes in levels of mercury in the environment,
45 biota and humans attributable to the Convention?
- 46 4. Are existing measures under the Minamata Convention be sufficient to meet its
47 objectives of promoting human health and environment from mercury?

Deleted: in emission and releases

Deleted: Will

49 The framework relies on evaluating evidence along the causal pathway linking actions to
50 implement the Convention, associated changes in supply, use and emissions and releases, and
51 resulting changes in levels and trends in the global environment, biota, and humans. The ad
52 hoc group proposes sets of indicators on process, outcome and monitoring to inform these
53 policy questions. The proposed indicators draw on previous work on elements of the
54 effectiveness evaluation framework and the review of monitoring capacities and abilities.

56 However, it is likely that monitoring will observe an increased amount of mercury e.g. in the
57 atmosphere due to factors outside the scope of the Convention. This includes legacy mercury,
58 natural mercury as well as impacts from climate change such as increased availability of
59 mercury stored in melting sea ice, ice sheath, permafrost and increased evaporation of

62 [mercury from the warming oceans. Consequently, it is likely that no clear link between levels](#)
63 [of mercury observed in the environment and biota and action taken under the Convention will](#)
64 [be observed.](#)

65
66 Numerous indicators, developed following an article-by-article review, are clustered to
67 enable synthesized analysis for an integrated picture. Specific articles of central or
68 crosscutting importance to the overall provisions are not clustered (such as Art 1 and 16). The
69 following articles and indicators are clustered:

- 70 ▪ **Supply cluster:** supply, storage and waste (Art 3, 10, 11);
- 71 ▪ **Demand cluster:** products, processes and ASGM (Art 4,5,7);
- 72 ▪ **Pressures cluster:** emissions, releases and contaminated sites (Art 8, 9, and 12),
- 73 ▪ **Support cluster:** financial and technical assistance (Art 13 and 14), and
- 74 ▪ **Information and research cluster:** information exchange, public information,
75 research (Art 17, 18 and 19).

76
77 Article 22, paragraph 3 indicates that the evaluation shall be conducted using available
78 scientific, environmental, technical, financial and economic information. Two streams of
79 information are referred to in this regard: (i) information provided by Parties based on Article
80 21 reporting, and (ii) information and knowledge that is scientific, peer-reviewed and
81 publicly available.

82
83 Based on such information the framework foresees [four synthesis](#) reports to be produced (see
84 description in Section III and Annex 4).

- 85 1. The state of global mercury levels in the environment, biota and humans, as well
86 as trends over time, that is a **Global Monitoring Report**;
- 87 2. **Emissions and Releases** – modelled after the *Global Mercury Assessment* (2018)
- 88 3. **Trade, Supply and Demand** – modelled after the report on *Global Mercury:*
89 *Supply, Trade and Demand* (2017);
- 90 4. [Art. 21 synthesis report – building on information provided by Parties under Art.](#)
91 [21 on reporting.](#)

92
93 The framework presents a flow of information from level 1 to level 6, namely starting from
94 collecting information, to compiling information, to analysing and synthesizing information
95 (levels 1 to 3). The framework then foresees an integrating function (level 4), [pending](#)
96 [availability of robust and reliable tools and models.](#) before reaching the Effectiveness
97 Evaluation Committee (level 5) and the Conference of the Parties (level 6).

98
99 The framework identifies different entities that have different roles in the process. While
100 some entities already exist (i.e. those for administrative and programme support, compilation
101 of data for synthesis reports, etc.) there are others who are to perform vital scientific and
102 technical analyses to implement the framework, but they are not in place yet.

103
104 [The first function \(level 3\) is to synthesise mercury information collected and compiled. This](#)
105 [function foresees a role for the secretariat or a sub-contractor.](#) The second function (level 4) is,
106 [using](#) the information and knowledge collected and synthesised, to interpret the linkages
107 between policy actions, emission reductions and resulting mercury levels, using available

Deleted: five

Deleted: .

Deleted: The following four synthesis reports are to be prepared:¶

Commented [A2]: Note that in table 2, this is simply referred to as “monitoring report” and could cause confusion.

Deleted: Waste Management

Deleted: – building on the *Global Mercury Waste Assessment* (2018)...

Formatted: Font: Bold

Deleted: The framework foresees two scientific and technical functions to perform analysis, synthesis and interpretation at levels 3 and 4: ...

Deleted: , for scientists and experts, and for organisations.

Deleted: to interpret

120 data sources, modelling techniques and analytical tools drawn from natural and social
121 sciences. The function foresees the production of the **Integrated Assessment Report** for the
122 Effectiveness Evaluation Committee. This report [will only be produced once the COP has](#)
123 [proven that reliable and robust tools and models are available](#),

Deleted: is to be science-based but should be accessible to non-technical readers. ...

124
125 The Effectiveness Evaluation Committee (see its Terms of Reference in Annex II of the
126 report) will consider all the reports produced to consider the policy questions outlined above
127 and derive conclusions about the effectiveness of the Convention for its report to the
128 Conference of the Parties.

129 Thereafter, the Conference of the Parties receives and reviews the report of the Effectiveness
130 Evaluation Committee, and considers the conclusions and recommendations for the
131 Convention.
132

133
134 The framework is submitted to the third meeting of the Conference of the Parties for adoption,
135 and foresees a timeline for the first cycle of the effectiveness evaluation where the fourth
136 meeting of the Conference of the Parties establishes the Effectiveness Evaluation Committee,
137 and the fifth meeting of the Conference of the Parties considers the findings of that
138 Committee.

139
140 The report also outlines in Section IV further issues for the Conference of the Parties to
141 consider at its third meeting, including a proposed draft decision.

142 **Monitoring arrangements**

143
144 The report addresses the task outlined in decisions MC-1/9 and MC-2/10 in relation to
145 monitoring, by reviewing available monitoring data, identifying gaps, examining modelling
146 capabilities, and outlining global monitoring arrangements.
147

148
149 In considering monitoring information data, the ad hoc group considered matrices mentioned
150 in MC-2/10: air, humans, biota and water. The ad hoc group concluded that data on levels of
151 mercury in air, biota and humans either are available or would be able to be obtained and
152 comparable on a global basis.

153
154 Levels of mercury and mercury compounds in water are collected in relation to water quality
155 issues in a number of countries. These data may be useful in tracking mercury resulting from
156 local activities which release mercury; however, it will not provide overall trends on a global
157 basis. Levels of mercury in ocean water could be comparable on a global basis and collected
158 by existing networks and ad hoc research programmes, but currently such work is done
159 through research-based activities and not dedicated long-term monitoring programmes
160

161 The global modelling capabilities have been reviewed in order to understand availability of
162 tools for the use in the effectiveness evaluation. The models complement monitoring data
163 with estimation based on scientific understanding of mechanisms affecting mercury
164 behaviour. Models for different media (air, water, land, biota) vary in their ability and state of
165 development. Atmospheric models have been extensively evaluated and can be applied to

168 assess spatial gradients in atmospheric mercury concentrations and deposition, as well as
169 temporal changes. By contrast, models for other media such as land are still mainly used in
170 research applications. Integrated models that work across media drawing on expertise that
171 bridges natural science, social science, and engineering, are undergoing rapid development in
172 the scientific and academic community and are expected to be available by 2023 for policy-
173 relevant analyses.

174
175 In the consideration of the monitoring arrangements, the following key elements were
176 identified:

- 177 ▪ Mercury data and their availability from human health and environmental
178 monitoring programmes that achieve global coverage and contain at least core
179 representative data from all regions,
- 180 ▪ Tools supporting data harmonization such as standard operating procedures
181 and monitoring guidance document,
- 182 ▪ Expertise necessary for gathering and consolidating harmonized information
183 that ensures comparability and consistency in monitoring data over the long-
184 term,
- 185 ▪ Modelling capabilities, and
- 186 ▪ Development of a global periodic report to support the effectiveness
187 evaluation.

188
189 In line with the proposal to perform scientific functions and to carry out tasks related to work
190 with monitoring indicators identified in the effectiveness evaluation framework, scientific
191 expertise and qualifications are required to oversee the gathering and consolidation of
192 monitoring data. It is proposed that this task should be overseen by an expert body whose
193 terms of reference are proposed in Annex 3.

194
195 **NOTE:** In addition to this report, the ad hoc group developed a complementing information
196 document. Part 1 of that document provides a more detailed review of available monitoring
197 data and background on the proposal for monitoring activities with further scientific and
198 technical details. Part 2 of the information document contains a proposal for elements of the
199 guidance document for mercury monitoring that will be developed under the monitoring
200 arrangements to be established by the Conference of the Parties.

201
202

203 **I. Introduction**

204

205 1. At the first and second meetings, the Conference of the Parties tasked an ad hoc
206 expert group to consider the arrangements to be put in place to provide the
207 Conference of the Parties with the required information to conduct an effectiveness
208 evaluation of the Minamata Convention on Mercury.¹ The effectiveness evaluation is
209 to be conducted at regular intervals, with the first taking place within six years after
210 the entry into force of the Convention.² This report is the outcome of the consultation
211 and deliberations of the ad hoc expert group to put in place arrangements to conduct
212 an effectiveness evaluation.

213 2. Article 22 of the Minamata Convention in paragraph 2 stipulates that the Conference
214 of the Parties, shall initiate the establishment of arrangements for providing itself with
215 comparable monitoring data on the presence and movement of mercury and mercury
216 compounds in the environment, as well as the trends in the levels of mercury and
217 mercury compounds as observed in biotic media and vulnerable populations.
218 Paragraph 3 of that article further stipulates that the evaluation shall be conducted
219 based on available scientific, environmental, technical, financial and economic
220 information, including:

221 (a) Reports and other monitoring information provided to the Conference of
222 the Parties pursuant to paragraph 2;

223 (b) Reports submitted pursuant to Article 21;

224 (c) Information and recommendations provided pursuant to Article 15; and

225 (d) Reports and other relevant information on the operation of the financial
226 assistance, technology transfer and capacity building arrangements put in place
227 under this Convention.

228 3. The first meeting of the Conference of the Parties recognised the urgent need for a
229 framework for the effectiveness evaluation that includes a strategic, cost-effective
230 approach that provides appropriate and sufficient data, and further acknowledged
231 publications such as UNEP's global mercury assessments, as well as the GEF-funded
232 Minamata Initial Assessments, as important sources of information. The Conference
233 of the Parties set out a roadmap which included the establishment of the ad hoc group

¹ MC-1/9 on the Establishment of arrangements in regard to effectiveness evaluation established the ad hoc group of experts on the arrangements for providing the Conference of the Parties with comparable monitoring data, and elements of an effectiveness evaluation framework under article 22 of the Minamata Convention (hereafter referred to as the ad hoc expert group). The decision also laid out a roadmap for establishing arrangements for providing the Conference of the Parties with comparable monitoring data, and elements of an effectiveness evaluation framework under article 22 of the Minamata Convention. The ad hoc expert group produced a report which was presented to the second meeting of the Conference of the Parties (See UNEP/MC/COP.2/13 and UNEP/MC/COP.INF/8).

Subsequently, MC-2/10 extended the terms of reference of the ad hoc technical expert group, adopted a roadmap for the subsequent work, requested the ad hoc expert group to develop the terms of reference for global monitoring arrangements, and requested the ad hoc expert group to report its progress to the third meeting of the Conference of the Parties.

² While the first effectiveness evaluation of the Minamata Convention on Mercury is to take place within six years of the entry into force of the Convention, the Conference of the Parties is to decide on the future interval of the effectiveness evaluations.

234 of experts on the arrangement for providing the Conference of the Parties with
235 comparable monitoring data, and the elements of an effectiveness evaluation
236 framework (see MC-1/9 Establishment of arrangement in regard to effectiveness
237 evaluation).

238 4. For deliberation of these matters and based on the roadmap and terms of reference
239 outlined in MC-1/9, the ad hoc group of experts began its work at its first meeting in
240 Ottawa, Canada (5-9 March 2018). The outcome of the work of this first round of
241 deliberations, reflecting comments received during the subsequent open comment
242 period, was presented to the second meeting of the Conference of the Parties in
243 Geneva in November 2018 (see UNEP/MC/COP.2/13 and UNEP/MC/COP.2/INF/8).

244 5. The second meeting of the Conference of Parties deliberated on the outcome of the ad
245 hoc group of experts and decided to revise the Group's mandate and identify
246 additional expertise needed to enable it to complete its work for presentation to the
247 third meeting of the Conference of the Parties in November 2019. The Conference of
248 the Parties in its decision 2/10 also requested the ad hoc expert group to undertake the
249 following tasks:

250 (a) Using the objective of the Minamata Convention, review and assess the
251 detailed article-by-article process and outcome indicators presented in
252 UNEP/MC/COP.2/INF/8, and elaborate on the sources of information and
253 baselines for those indicators, considering cost-effectiveness, practicality,
254 feasibility and sustainability, and, on that basis, provide detailed rationales for
255 the recommended indicators;

256 (b) Identify which recommended indicators require monitoring data, in particular
257 in relation to the control measures and objectives set out in the articles of the
258 Convention;

259 (c) Develop a methodology for integrating the recommended indicators with a
260 view to providing an integrative picture of the general effectiveness of the
261 Convention, (e.g., by use of cross-cutting indicators); and

262 (d) Amend the recommended draft terms of reference of the effectiveness
263 evaluation committee and the schedule for the first effectiveness evaluation, if
264 needed, on the basis of the outcome of the above.

265 6. Following its revised mandate, the re-named ad hoc technical working group met in
266 Geneva in April 2019 to deliberate specifically on the requested report to be presented
267 to the third meeting of the Conference of the Parties. The present report is the
268 outcome of the work begun at that meeting³ and completed in the subsequent months
269 that included an open comment period from 1 August to 5 September 2019.

270 7. Following the guidance of MC-2/10, this report is presented in four sections: Section I
271 gives an introduction on the mandate of the work of the ad hoc technical expert group,
272 and the report on its work on the arrangements the group proposes be put in place to
273 provide the Conference of the Parties with the required information to conduct an

³ At this meeting, the ad hoc technical group had before it a compilation of comments on the effectiveness evaluation framework (UNEP/MC/EE.2/5), submitted information (UNEP/MC/EE.2/3) and the compilation of comments on the report of the group submitted to the Conference of the Parties at its second session (UNEP/MC/EE.2/4).

274 effectiveness evaluation of the Minamata Convention on Mercury. Section II provides
275 an overview description of the proposed effectiveness evaluation framework
276 including laying out four key policy question identified to be used to evaluate the
277 effectiveness of the Convention. Section III lays out the constituent elements of the
278 framework in detail by describing the proposed methodology to conduct the
279 effectiveness evaluation. This section also puts forward the proposed schedule.
280 Section IV outlines further issues for the consideration by the Conference of the
281 Parties, including as suggested action a draft decision to operationalise the proposed
282 framework.

283 8. The report further contains four annexes. The first annex outlines technical
284 information related to monitoring. The second annex presents the terms of reference
285 of the Effectiveness Evaluation Committee. The third annex outlines the terms of
286 reference of the global monitoring arrangements. And the fourth annex gives a
287 description of the reports that are to be prepared for the Effectiveness Evaluation
288 Committee.

289 9. The ad hoc technical expert group proposes that the Conference of the Parties at its
290 third meeting adopts the framework, adopts the proposed timeline for the first cycle of
291 the effectiveness evaluation, and at its fourth meeting establishes the Effectiveness
292 Evaluation Committee. This will enable the fifth meeting of the Conference of the
293 Parties to consider the findings and conclusions of the Effectiveness Evaluation
294 Committee. A draft decision has been prepared for consideration in this regard.

295

296 **II. Overview description of the effectiveness evaluation framework**

297

298 10. The objective of the Minamata Convention, per Article 1, is “to protect the human
299 health and the environment from anthropogenic emissions and releases of mercury
300 and mercury compounds.”

301 11. The goal of an effectiveness evaluation is to consider the extent to which the
302 Convention is achieving this objective. To analyse its effectiveness is to consider
303 whether measures taken by Parties in response to the Convention have resulted in
304 reductions in supply, use and emissions and releases that have, in turn, led to lower
305 risks to human health and the environment (compared with what would have occurred
306 if the Convention would not have been implemented).

307 12. The framework for the effectiveness evaluation of the Minamata Convention, as
308 proposed by the ad hoc technical expert group, relies on evaluating evidence along the
309 causal pathways linking actions to implement the Convention, associated changes in
310 emissions and releases, and resulting changes in levels and trends in the global
311 environment, biota, and humans. ⁴

312 13. Based on the information collated, and through proposed indicators on process,
313 outcome and monitoring, an assessment will be made of whether changes in mercury
314 levels attributable to the Convention are significant and sufficient in relations to four
315 policy questions.

316

317 **Policy Questions**

318 14. **First Policy Question: Have the Parties taken actions to implement the**
319 **Minamata Convention?** The framework contains a succinct set of “process”
320 indicators intended to reflect the level of implementation of the Convention by
321 Parties. These indicators can be used to evaluate whether implementation of
322 Convention measures can be credibly linked to changes in emissions and releases.
323 They can also be used to identify common challenges in implementation that may
324 undermine the Convention effectiveness. The process indicators are based primarily
325 on reporting mandated by the Convention, supplemented by other available scientific,
326 environmental, technical, financial and economic information as per Article 22,
327 paragraph 3.

328

329 15. **Second Policy Question: Have these actions resulted in changes in supply, use**
330 **and emissions and releases of mercury to the environment?** The framework also
331 contains a set of “outcome” indicators that reflect estimated changes in supply,
332 demand and emissions and releases of Hg due to Convention measures, as reported by
333 Parties under the Convention. The framework suggests supplementing these data with
334 context provided by comprehensive estimates of global mercury supply, demand,
335 emissions and releases.

336

337 16. **Third Policy Question: Have these changes resulted in changes in levels of**
338 **mercury in the environment, biota and humans attributable to the Convention?**
339 Article 22 of the Convention specifies that monitoring data on “the presence and

Deleted: in emissions and releases

341 movement of mercury and mercury compounds in the environment as well as trends
342 in levels of mercury and mercury compounds observed in biotic media and vulnerable
343 populations,” should be used in the effectiveness evaluation. Attributing changes in
344 human and environmental levels of mercury to Convention measures is challenging,
345 but possible. Past and present emissions from human activities combine with natural
346 sources and other factors affecting mercury cycling, such as atmospheric and
347 ecosystem characteristics, which may evolve, inter alia, due to climate change. The
348 framework outlines how global mercury measurements can be used to assist in the
349 assessment of how successful the implementation measures of the Convention have
350 been.

Commented [A4]: This should be reflected in the executive summary.

351
352 17. This complex system results in the observed levels of mercury in the environment,
353 biota and humans. As scientific knowledge is still developing to better directly link
354 sources to these receptors, integrated modelling approaches are needed to estimate
355 how changes of emissions and releases from sources covered by the Convention
356 contribute to changes in levels in the environment, biota and humans. The ongoing
357 development and validation of such integrated models relies on monitoring data as
358 well as scientific knowledge of environmental processes and will assist in attributing
359 mercury changes in the environment, to change in mercury emissions and releases.
360

361 18. **Fourth Policy Question: Are existing measures under the Minamata Convention**
362 **be sufficient to meet its objectives of protecting human health and the**
363 **environment from mercury?** The response to the third policy question will tell us to
364 what extent the Convention is affecting levels and trends of mercury in the
365 environment, biota and humans. The fourth policy question will look at whether the
366 measures under the Convention is significant and sufficient. Is the Convention
367 delivering reduced emissions and releases to its full potential? If not, why? Would
368 delivering at full potential prevent the majority or only a small part of anthropogenic
369 emissions and releases of mercury? Furthermore, are management measures to
370 address residual risk adequate and sufficient in addressing the exposure of people to
371 mercury?

Deleted: Will

373 **Expert-led integrated assessment for consideration by the Effectiveness Evaluation** 374 **Committee**

375 19. The proposed framework envisions the synthesis of information and knowledge in
376 **synthesis reports**, and based on these reports and additional information, the
377 preparation of an **integrated assessment report** that provides a scientific and
378 technical perspective on the four policy questions articulated above. The integrated
379 assessment report will interpret the linkages between policy actions, emissions
380 reductions and resulting mercury levels, using available data sources, modelling
381 techniques, and analytical tools drawn from natural and social sciences, and other
382 relevant knowledge.

383 20. Present science has not yet developed reliable models for forecasting long-term
384 changes in mercury levels resulting from emissions reductions that take into account
385 the full complexities of mercury in the environment. Pending the availability of
386 suitable confirmed multi-media models, the integrated assessment report is to be
387 postponed until after the first effectiveness evaluation cycle. ▼

Deleted: for the first evaluation may or may not include the use of forecasting models...

Deleted: Therefore, earlier evaluations on the effectiveness of the Minamata Convention may have greater uncertainty than later evaluations when improvements to such forecasting models become available.¶

396 21. The Effectiveness Evaluation Committee will use the [synthesis reports and future](#)
397 [integrated assessment reports](#) to consider the policy questions and to draw conclusions
398 about the effectiveness of the Convention. Based on this evaluation, the Effectiveness
399 Evaluation Committee is to make recommendations to the Conference of the Parties
400 as required.

401 22. Table 1 below gives an overview of the construction of the overall effectiveness
402 evaluation framework from the above-mentioned four policy questions, to indicators
403 proposed for evaluation, to the required synthesis reports and the integrated
404 assessment report that will be prepared for the Effectiveness Evaluation Committee,
405 for its consideration and report to the Conference of the Parties. The constituent
406 elements of the framework are explained in detail in Section II.

407
408

Deleted: expert-led scientific and technical integrated assessment report, and supplemented as necessary by the other synthesis reports, ...

Table 1: Construction of the effectiveness evaluation framework from policy questions, to indicators and to required reports for consideration by the Effectiveness Evaluation Committee

Policy Questions	First Policy Question: Have the Parties taken actions to implement the Minamata Convention?	Second Policy Question: Have these actions resulted in changes in <u>supply, use and emissions and releases</u> of mercury to the environment?	Third Policy Question: Have these changes resulted in changes in levels of mercury in the environment, biota and humans attributable to the Convention?	Fourth Policy Question: <u>Are</u> existing measures under the Minamata Convention be sufficient to meet its objectives of protecting human health and the environment from mercury?
Indicators	Process indicators (<i>para 46</i>)	Outcome indicators (<i>para 46</i>) Monitoring indicators (<i>para 46</i>)	Monitoring indicators (<i>para 52</i>)	<p style="text-align: right;">Level 5</p> <p>The Effectiveness Evaluation Committee will use the <u>synthesis reports*</u> <u>supplemented by future Integrated Assessment Report</u> to consider the policy questions posed in the framework, and from that derive conclusions about the effectiveness of the Convention.</p> <p>*Synthesis reports:</p> <ol style="list-style-type: none"> 1. Emissions and Releases 2. Trade, Supply and Demand 3. <u>Art. 21 synthesis report</u> 4. Global Monitoring Report
Indicator Clusters	1. Supply Cluster 2. Demand Cluster 3. Pressure Cluster ---- 4. Support Cluster 5. Info and Research Cluster	1. Supply Cluster 2. Demand Cluster 3. Pressure Cluster ---- 4. Support Cluster 5. Info and Research Cluster	1. Pressure Cluster	
Information Sources	Parties: Article 21 reports (<i>main source</i>)	Parties: Article 21 reports (<i>main source</i>)	- Parties: Article 21 reports - Existing/proposed monitoring networks and models	
Secretariat documents to COP, according to Article 22	- ICC reports - Financial mechanism reports - Report on Capacity-building and technical assistance	n/a	n/a	
Reports prepared for the Effectiveness Evaluation Committee	Level 1 – 3		Level 3	
	<ol style="list-style-type: none"> 1. Emissions and Releases (Pressure Cluster) “<i>Mercury to the environment</i>” 2. Trade, Supply and Demand (<i>Supply and Demand Clusters</i>) “<i>Intended/economic movement of mercury</i>” 3. <u>Art. 21 synthesis report</u> (should include the indicators that are based on Art. 21 reporting) 		<ol style="list-style-type: none"> 4. Global Monitoring Report 	
			Level 4	
			<ol style="list-style-type: none"> 5. Integrated assessment Report 	
Level 6				
Report of the Effectiveness Evaluation Committee is considered by the Conference of the Parties				

Deleted: Will

Deleted: in emissions and releases

Deleted: supplemented by the synthesis reports*

Deleted: Waste Management

Deleted: Waste Management


Deleted: Supply, Demand and Pressure Clusters

418 **III. Proposed methodology and schedule for the evaluation**

419
420 **1. Information and analysis flow for the proposed effectiveness evaluation**

421
422 23. The effectiveness evaluation will be carried out through a series of sequential steps of
423 data identification and collection, compilation of information, assessment, analysis and
424 synthesis. The framework presents the flow of information, beginning with identifying
425 and collecting information, to compiling information, to synthesises information (levels 1
426 to 3). The framework then foresees an integration function (level 4) [pending availability](#)
427 [of robust and reliable tools and models](#), before reaching the Effectiveness Evaluation
428 Committee (level 5) and the Conference of the Parties (level 6).

429 24. The flow of information and analysis is represented in Diagram 1 below, and explained in
430 more detail thereafter:



431
432
433
434 25. **Level 1 – Information:** As a first step, information resources available to support the
435 effectiveness evaluation will be identified and amassed. This will include information
436 from reports mandated by the Convention (e.g., implementation reports per Article 21;
437 compliance information and recommendations per Article 15; reports on effectiveness of
438 financial mechanisms per Article 13; emission inventories under Article 8 and release
439 inventories under Article 9; ASGM National Action Plans (NAP) progress reports under
440 Article 7), as well as the Secretariat’s Capacity Building and Technical Assistance report.

- 441 26. Such reporting may be incomplete, and thus these reports will be supplemented by other
442 available scientific, environmental, technical, financial and economic information per
443 Article 22 paragraph 3 and Article 19.
- 444 27. Clear criteria for this data collection should be established (e.g. including peer-reviewed
445 research articles and official publications such as national reports). The monitoring
446 arrangements are specified in Annex 3 and will determine which monitoring resources
447 will be included in the effectiveness evaluation.
- 448 28. **Level 2 – Compilation:** Relevant data for the effectiveness evaluation will be extracted
449 from the selected resources and compiled into a format that will enable their use in the
450 subsequent assessment and evaluation stages. Quality control of data should be conducted
451 at this stage. For monitoring data, this may include the compilation of monitoring data
452 into a global/central database with a consistent format, common quality control/quality
453 assurance procedures, assessment of confidence, and other relevant elements.
454
- 455 29. **Level 3 – Synthesis reports:** The amassed and compiled data will be used to create a set
456 of reports that synthesize the information. These reports are to inform the four policy
457 questions. Responding to the request from the Conference of the Parties that the
458 evaluation is to provide for an integrative picture of the general effectiveness of the
459 Convention, the ad hoc technical expert group lays out that the following synthesis
460 reports will be required (see Annex 4 for descriptions of the synthesis reports):
- 461 1. The state of global mercury levels in the environment, biota and humans, as well
462 as trends over time – **Global Monitoring Report**;
 - 463 2. **Emissions and Releases Report** – modelled after the *Global Mercury*
464 *Assessment* (2018);
 - 465 3. **Trade, Supply and Demand Report** – modelled after *Global Mercury: Supply,*
466 *Trade and Demand* (2017);
 - 467 4. Art. 21 synthesis report – building on information provided by Parties under Art.
468 21 on reporting
- 469 30. The reports will inform on the process, outcome and monitoring indicators, to facilitate
470 the Effectiveness Evaluation Committee’s consideration of the four policy questions.
471 These reports will include scientific and technical background, as well as accessible
472 visual presentations.
- 473 31. **Level 4 – Integrated Assessment Report:** The synthesis reports (and, where needed, the
474 underlying and/or additional data) on Convention actions, emissions and releases, and
475 monitoring data, etc. will be used for the fifth, the **Integrated Assessment Report**. This
476 integrated assessment report will distinguish between the process, outcome and
477 monitoring indicators to facilitate the Effectiveness Evaluation Committee’s efforts to
478 address the four policy questions. This report will be postponed until after the first
479 effectiveness evaluation cycle and until the COP has concluded that proven, reliable and
480 robust tools and models are available. A possible future refinement of the framework
481 might be necessary to include more detail on the integrated assessment. (See annex 4 for
482 a further description of the Integrated Assessment Report).

Deleted: Waste Management Report – building on
Global Mercury Waste Assessment (2018)....

Formatted: Font: Not Bold

Deleted: The report will take into account other
information (information such as socio-economic
information, technology innovation, climate data, key
global policies, etc.) as necessary....

489 32. **Level 5 – Effectiveness Evaluation:** The synthesis reports supplemented, as necessary
490 by the future Integrated Assessment Report will be submitted to the Effectiveness
491 Evaluation Committee. The Committee will use this information to consider the four
492 policy questions to derive conclusions about the effectiveness of the Convention. The
493 Committee may include in its report suggestions for improving the effectiveness
494 evaluation framework. The Committee may also highlight areas that the Conference may
495 wish to consider for the effectiveness of the Convention.

496 33. **Level 6 – Conference of the Parties:** The Conference of the Parties receives and reviews
497 the report of the Effectiveness Evaluation Committee and considers the conclusions and
498 recommendations of the Committee. The Conference makes its determinations regarding
499 actions or mechanisms to improve the effectiveness of the Convention.
500

501 2. Development of indicators

502 34. The Minamata Convention includes a number of measures that seek to control, reduce or
503 eliminate the major sources and uses of mercury, as well as a set of further stipulations
504 that oblige Parties to work together to support each other in the overall endeavour to
505 protecting people and the environment from the adverse effects of mercury.

506 35. To provide an integrative picture of the general effectiveness of the measures and
507 provisions of the Convention, the ad hoc technical expert group used an integrative
508 approach to identify indicators.

509 36. A set of indicators on process, outcome and monitoring to inform the policy questions are
510 proposed. The proposed indicators draw on previous work on elements for the
511 effectiveness evaluation framework, and the review of monitoring capacities and abilities.

512 37. Numerous indicators, developed following an article-by-article review, are clustering to
513 enable synthesised analysis in the proposed reports. The following articles and indicators
514 are clustered for evaluative purposes:

- 515 (a) **Supply cluster:** supply, storage and waste (Art 3, 10, 11);
- 516 (b) **Demand cluster:** products, processes and ASGM (Art 4,5,7);
- 517 (c) **Pressures cluster:** emissions, releases and contaminated sites (Art 8, 9, and 12),
- 518 (d) **Support cluster:** financial and technical assistance (Art 13 and 14), and
- 519 (e) **Information and research cluster:** information exchange, public information,
520 research (Art 17, 18 and 19).

521 38. Furthermore, recognising the central nature of some articles, such as Article 1 (setting out
522 the objective of the Convention) or the crosscutting nature, such as Article 16 (on the
523 health aspects) key articles were not clustered but kept separate for the purposes of
524 identifying indicators.

525 39. The rationale underlying the proposed indicators is as follows: (a) Process indicators are
526 required to answer the first policy question (Have the Parties taken actions to implement
527 the Minamata Convention?). (b) Outcome indicators are required to address the second
528 policy question (Have the actions resulted in changes in emission and releases of mercury
529 to the environment?). For each cluster of articles, the ad hoc expert group followed the
530 formulation of identification of how many parties are taking action on a key policy

Deleted: <#>The analyses will likely also include modelling to estimate how changes in emissions and releases due to Convention measures have contributed to changes in mercury levels in the environment, humans and biota. ¶

<#>The integrated assessment will also seek to evaluate long-term trends to interpret the relevance of social, technical and economic data in the context of effectiveness the Convention vis-à-vis its objective. ¶

<#>While the Integrated Assessment Report is to be an evidence-based science and technical report, it is also to be accessible to non-technical readers and include visual representations. ¶

Deleted: supplemented, as necessary, by the above-mentioned synthesis reports, ...

Commented [A5]: The report should make clear that the indicator are intended to be used to inform on changes and trends and not only to describe a situation at a given moment in time.

546 measure, and what is the outcome of those actions. (c) Monitoring indicators are needed
547 to provide validated, scientific information to inform and support policy and decision-
548 making.

549 40. The indicators were largely developed keeping in mind data and reports required by the
550 Convention's reporting requirements or related bodies (including, for example, reports of
551 the Global Environment Facility). These reports will be supplemented by other available
552 and compiled data in the synthesis reports, and in the Integrated Assessment Report. By
553 using the data available, the indicators are therefore cost effective. Further, the data will
554 be produced on a recurrent basis for the life of the Convention, and thus are sustainable.

555 41. The indicators are formulated in a way that can be practical and feasible. The indicators
556 are designed to be easily counted and calculated, and to be easily understood (they do not
557 represent complex functions). If Article 21 reporting data is submitted electronically to
558 the Secretariat, their calculation should be especially straight forward.

559 42. Baselines are considered fundamental to undertake an effectiveness evaluation, so that
560 indicators can be evaluated over time. There is no formal process under the Convention
561 to establish baselines. There are two approaches to establish baselines. One is a "before-
562 after" baseline, another is "with-without" baseline. The former is suitable for the
563 indicators that are relatively stable, so that a time value from before the Convention can
564 be used throughout the evaluation process. The latter type is suitable for indicators that
565 fluctuate over time by some factors other than the interventions made due to the
566 provisions of the Convention. Socio-economic and demographic aspects can play a role,
567 as can climate change, ongoing initiatives, as well as shifts in life style. These will impact
568 baseline value in the medium and longer term.

569 43. Table 2 below presented the proposed indicators, that are to be read in compliment to the
570 specific monitoring indicators identified in paragraph 52:

571

Table 2: Proposed indicators to evaluate the effectiveness of the Minamata Convention			
A: Minamata Convention Article 1: (Objective) Protecting human health and the environment **		Source of information on indicator	Baseline for the indicator
A1. Cross-cutting monitoring indicator	Levels of mercury in the environment and in humans due to anthropogenic emissions and releases	- Integrated modelling	Baseline amount in the first evaluation (if models are available)
Notes	<ul style="list-style-type: none"> ▪ Attribution to be estimated using modelling to be developed ▪ In case of non-availability of such information from models, levels of mercury and trend in mercury (changes over time) will be used. ▪ The indicator for Article 1 is to be read with the relevant monitoring indicator indicated in Table 4, paragraph 52. ▪ Estimations from modelling shall be accompanied by a thorough discussion on modelling uncertainties 		

Commented [A6]: The list of indicators is very long and would need to be boiled down to be operative.

B: Supply Cluster of Articles: Mercury supply sources and trade (Article 3), Environmentally sound interim storage of mercury other than waste mercury (Article 10), Mercury waste (Article 11)		Source of information on indicator	Baseline for the indicator
B1. Overall process indicator for Articles 3, 10 and 11	Share of Parties that have implemented key provisions under this cluster (encompassing all process indicators below, i.e. B5, B6, B7, B9 and B12)	- Article 21 reporting	Baseline amount in the first evaluation
B2. Additional Cross-cutting outcome indicator for Articles 3, 10 and 11	Estimated global supply of mercury, in tonnes per year	- Synthesised information from individual indicators for Art 3, 10 and 11	Baseline amount in the first evaluation
Article 3			
B3. Outcome indicator for Article 3	Total amount of Hg mined from primary mercury mines	- Global Mercury Trade, Supply, Demand (2017) - ASGM NAP reports - Article 21 reports	Baseline amount in the first evaluation
B4 Outcome indicator for Article 3	Amount of Hg traded - broken down for specific purposes	- Article 3 forms	Baseline amount in the first evaluation
B5. Process indicator for Article 3	Number of parties that have developed an inventory of stocks and sources of supply	- Article 21 reporting	Baseline number in the first evaluation
B6. Process indicator for Article 3	Share of parties that have excess Hg from Chlor Alkali that have taken measures that such mercury is subject to final disposal	- World Chlorine Council Reports	Baseline % in the first evaluation
B7. Process indicator for Article 3	Number of parties trading in mercury	- Article 3 forms	Baseline amount in the first evaluation
Article 10			

B9. Process indicator for Article 10	Number of parties that have taken measures to ensure sound interim storage	- Article 21 reporting	Baseline amount in the first evaluation
B10. Outcome indicator for Article 10	Amount of Hg stored in an environmentally sound way as identified in the inventory of stocks	- Article 21 reporting	Baseline amount in the first evaluation
Article 11			
B11. Outcome indicator for Article 11	Amount of waste consisting of mercury/mercury compound subjected to final disposal	- Article 21 reporting	Baseline amount in the first evaluation
B12. Process indicator for Article 11	Number of parties that have measures in place to manage mercury waste in an environmentally sound manner	- Article 21 reporting	Baseline amount in the first evaluation
Notes	<ul style="list-style-type: none"> ▪ Data from non-Parties is important too. 		

Commented [A7]: Terminology should be consistent with MC and reporting format. An indicator is missing that addresses the number of countries with facilities for final disposal of waste consisting of mercury or mercury compounds (from Article 21 reporting)

Deleted: waste

573

C: Demand Cluster of Articles: Mercury-added products (Article 4), Manufacturing processes in which mercury or mercury compounds are used (Article 5), and Artisanal and small-scale gold mining (Article 7)		Source of information on indicator	Baseline for the indicator
C1. Cross-cutting process indicator for Articles 4, 5 and 7	Share of Parties that have implemented key provisions under this cluster	- Synthesised information from individual indicators for Art 4, 5 and 7	Baseline % in the first evaluation
C2. Cross-cutting outcome indicator for Articles 4, 5 and 7	Global use of Hg for the manufacturing of product or process in tonnes per application	- Information from industry stakeholders	Baseline amount in the first evaluation
Article 4			
C3. Process indicator for Article 4	Number of parties having appropriate measures to not allow the manufacture, export or import of mercury-added products listed in Part I of Annex A	- Article 21 reporting	Baseline number in the first evaluation
C4. Process indicator for Article 4	Number of exemptions per product category which are still valid	- Registry of exemptions	Baseline number in the first evaluation
C5. Process indicator for Article 4	Number of parties that have taken two or more measures for the mercury-added products listed in Part II of Annex A	- Article 21 reporting	Baseline number in the first evaluation
C6. Additional outcome indicator for Article 4	Volume tonnes of mercury added products (a) imported and (b) exported, in units per year for each product category in Annex A Part I	- Trade and customs data	Baseline amount in the first evaluation
Article 5			
C7. Process indicator for Article 5	Number of parties with exemptions for Annex B Part 1 processes, which are still valid	- Registry of exemptions	Baseline number in the first evaluation

C8. Process indicator for Article 5	Number of parties having measures in place to not allow the use of mercury or mercury compounds in manufacturing processes listed in Part I of Annex B	- Article 21 reporting	Baseline number in the first evaluation
C9. Process indicator for Article 5	Share of the parties that have processes subject to Article 5 para 3, that have taken all the measures for the respective processes listed in Annex B, Part II	- Article 21 reporting	Baseline % in the first evaluation
Article 7			
C11. Outcome indicator for Article 7	Total amount of Hg used in ASGM globally, in tonnes per year	- Article 21 reporting - NAPs and its review - Notifications	Baseline amount in the first evaluation
C12. Process indicator for Article 7	Share of parties declaring more than insignificant ASGM that have submitted NAP	- Notifications	Baseline % in the first evaluation
C13. Process indicator for Article 7	Share of parties that have submitted a NAP and have reviewed it	- Article 7 review	Baseline % in the first evaluation
Notes	<ul style="list-style-type: none"> ▪ Some data on products may not be obtainable from public sources. 		

575

D: Pressure Cluster of Articles: Emissions (Article 8), Releases (Article 9) and Contaminated Sites (Article 12)		Source of information on indicator	Baseline for the indicator
D1. Overall process indicator for Articles 8, 9 and 12	Share of Parties that have implemented key provisions under this cluster	- Article 21 reporting	Baseline % in the first evaluation
D2. Cross-cutting outcome indicator for Articles 8, 9 and 12	Total amount of Hg emitted and released	- Global Mercury Assessment - Inventories - MIAs	Baseline amount in the first evaluation
Article 8 **			
D3. Outcome indicator for Article 8	Total amount of Hg emitted from each of point source categories in Annex D (Article 21 report, inventories)	- Article 21 reporting	Baseline number in the first evaluation
D4. Process indicator for Article 8	Number of parties that have enacted appropriate laws and regulations to require BAT/BEP for new sources	- Article 21 reporting	Baseline number in the first evaluation
D5. Process indicator for Article 8	Number of parties that have put in place control measures for existing sources (per each of the measures set out in Article 8, para 5)	- Article 21 reporting	Baseline number in the first evaluation
Article 9 **			
D6. Outcome indicator for	Total amount of Hg releases in the inventory from relevant	- Article 21 reporting	Baseline number in the

Article 9	sources (Article 21 report, inventories)		first evaluation
D7. Process indicator for Article 9	Number of parties that have identified relevant sources	- Article 21 reporting	Baseline number in the first evaluation
D8. Process indicator for Article 9	Number of parties that have established inventory of releases from relevant sources	- Article 21 reporting	Baseline number in the first evaluation
Article 12			
D9. Process indicator for Article 12	Number of parties that have developed strategies for identifying and assessing sites contaminated by mercury or mercury compounds	- Article 21 reporting	Baseline number in the first evaluation
D10. Process indicator for Article 12	Number of parties that have developed the inventory of contaminated sites	- Article 21 reporting	Baseline number in the first evaluation
Notes	<ul style="list-style-type: none"> ▪ The indicators for Article 8 and 9, are to be read with the relevant monitoring indicators indicated in Table 4, paragraph 52. 		

576

E: Support Cluster of Articles: Financial resources and mechanism (Article 13), and Capacity-building, technical assistance and technology transfer (Article 14)		Source of information on indicator	Baseline for the indicator
Article 13			
E1. Process indicator for Article 13	Number of Parties: <ul style="list-style-type: none"> ○ that have contributed to the financial mechanism referred to in paragraph 5 of Article 13 ○ that have received GEF resources ○ that have received SIP resources ○ that have mobilised national resources for implementing the Convention <u>within the reporting period</u>	- Article 21 reporting	Baseline number in the first evaluation
E2. Process indicator for Article 13	Amount of resources provided by: <ul style="list-style-type: none"> ○ Global Environment Facility ○ Specific International Programme ○ Bilateral support <u>within the reporting period</u>	- Article 21 reporting	Baseline number in the first evaluation
E3. Additional Process indicator for Article 13	Number of recommendations from the financial review reflected in the GEF/SIP policy documents	- Information from policy documents	Baseline: zero
Article 14			
E4. Process indicator for Article 14	Number of Parties: <ul style="list-style-type: none"> ○ that have cooperated for providing capacity building and technical assistance to another party 	- Article 21 reporting	Baseline number in the first evaluation

Formatted: Indent: Left: 1.27 cm, No bullets or numbering

	<ul style="list-style-type: none"> ○ that have requested technical assistance ○ that have received capacity building or technical assistance ○ that have promoted or facilitated technology transfer 		
Notes	<ul style="list-style-type: none"> ▪ The cycle of review of the Financial Mechanism may well not align with the effectiveness evaluation cycle. 		

577

F: Minamata Convention Article 15: Implementation and Compliance Committee		Source of information on indicator	Baseline for the indicator
F1. Process indicator	Proportion of issues that the Committee was able to resolve, including indications of systemic issues, if any	- ICC report, as referred to in Art 21	Baseline number in the first evaluation
Notes	<ul style="list-style-type: none"> ▪ The expert group could not complete its deliberations in the indicator, as the ICC had not yet finalised its terms of reference. Their terms of reference are to be considered by COP3. 		

578

G: Minamata Convention Article 16: Health aspects **		Source of information on indicator	Baseline for the indicator
G1. Monitoring indicator	Mercury levels in selected human populations (as defined by the monitoring arrangements)	- Existing monitoring data and activities	Baseline number in the first evaluation
G2. Process indicator	Number of parties that have taken measures, such as fish advisories, to provide information to the public on exposure to mercury in accordance with paragraph 1 of article 16	- Article 21 reporting	Baseline number in the first evaluation
G3. Process indicator	Number of parties that have taken measures to protect human health in accordance with article 16	- Article 21 reporting - Submissions to the secretariat	Baseline number in the first evaluation
Notes	<ul style="list-style-type: none"> ▪ The indicator for Article 16 is to be read with the relevant monitoring indicators indicated in Table 4, paragraph 52. ▪ Mercury levels in biota also to be considered. 		

579

H: Information and Research Cluster of Articles: Information exchange (Article 17), Public information, awareness and education (Article 18), Research, development and monitoring (Article 19)		Source of information on indicator	Baseline for the indicator
Article 17			
H1. Process indicator for Article 17	Number of parties with designated national focal points	- Article 21 reporting	Baseline number in the first evaluation
H2. Process indicator for Article 17	Number of parties that have established information exchange mechanisms related to mercury	- Submissions to the secretariat	Baseline number in the first evaluation
Article 18			

H3. Process indicator for Article 18	Number of parties that have taken measures to implement article 18	- Article 21 reporting	Baseline number in the first evaluation
H4. Process indicator for Article 18	Average number of measures under paragraph 1 of Article 18 that are being implemented by parties	- Derived from Article 21 reporting	Baseline number in the first evaluation
H5. Process indicator for Article 18	Number of parties that have public information on mercury levels in air, humans and biota	- Article 21 reporting	Baseline number in the first evaluation
H6. Process indicator for Article 18	Number of parties undertaking risk communication relating to mercury consumption	- Article 21 reporting	Baseline number in the first evaluation
Article 19			
H7. Process indicator for Article 19	Number of parties that have undertaken research, development and monitoring in accordance with paragraph 1 of article 19	- Article 21 reporting	Baseline number in the first evaluation
H8. Process indicator for Article 19	Number of parties contributing data and knowledge to integrated assessments	- Existing monitoring networks, databases, scientific data and literature	Baseline number in the first evaluation
H9. Additional process indicator for Article 19	Number of regions contributing to a regional dataset	- Existing monitoring networks, databases, scientific data and literature	Baseline number in the first evaluation
Notes	<ul style="list-style-type: none"> Submissions to the Secretariat that supplement article 21 reporting. 		

580

I: Minamata Convention Article 20: Implementation Plans		Source of information on indicator	Baseline for the indicator
I1. Process indicator	Number of parties submitting implementation plans	- Secretariat report to the COP submissions	Baseline: zero
Notes	<ul style="list-style-type: none"> Parties do not have the obligation to prepare implementation plans. Some Parties found it useful to prepare such a plan nevertheless, and submit it to the Secretariat. 		

581

J: Minamata Convention Article 21: Reporting		Source of information on indicator	Baseline for the indicator
J1. Process indicator	Proportion of parties reporting on time	- Article 21 reporting	Baseline: % of the first submission on time
J2. Process indicator	Proportion of parties indicating that information is not available for specific questions	- Article 21 reporting	Baseline: % not available in the first reports

Notes	<ul style="list-style-type: none"> ▪ Parties are to report every two years.
--------------	--

582

K: Minamata Convention Article 22: Effectiveness evaluation		Source of information on indicator	Baseline for the indicator
K1. Process indicator	Evidence of implementation of recommendations from effectiveness evaluation through decisions and actions of the Conference of the Parties	- COP report	Baseline: zero
Notes	<ul style="list-style-type: none"> ▪ This article will not be evaluated in the first evaluation. 		

583

584

585

586 **3. Data sources**

587 44. The availability of information sources from which to derive these indicators, as well as
 588 supplementary relevant and comparable scientific, environmental, technical, financial and
 589 economic information on which to base the effectiveness evaluation, is driven by a
 590 number of factors.

591
 592 45. First, different articles of the Convention have different time lines for implementation.
 593 Some of these deadlines fall within the first cycle of effectiveness evaluation (2017-
 594 2023), but some do not. Moreover, even if a measure is implemented within the deadline,
 595 evidence of its impact and therefore effectiveness may not be available for some time or
 596 not directly measurable. This presents some challenges on how to attribute effect. Table 3
 597 below gives a short overview of phase-out dates and time-bound articles of the Minamata
 598 Convention and their time lines.
 599

Table 3: Minamata Convention Timelines		
Date	Article	Description
2018	Art 5, para 2, Annex B	Acetaldehyde production in which mercury or mercury compounds are used as a catalyst to be phased out
2020	Art 4, para 1, Annex A	Manufacture, import or export of various mercury-added products shall not be allowed (including of batteries, switches and relays, compact and linear fluorescent lamps, high pressure mercury vapour lamps, cold cathode fluorescent lamps and external electrode fluorescent lamps for electronic displays, cosmetics, pesticides and topical antiseptics, as well as barometers, hygrometers, manometers, thermometers and sphygmomanometers)
	Art 5, para 3, Annex B	In vinyl chloride monomer production, reduce the use of mercury in terms of per unit production by 50 per cent by the 2020 against 2010 use.
		For sodium or potassium methylate or ethylate reduce emissions and releases in terms of per unit production by 50 per cent by 2020 compared to 2010
2025	Art 5, para 2, Annex B	Chlor-alkali production to be phased out
2027	Art 5, para 3, Annex B	For sodium or potassium methylate or ethylate, reduce the use of mercury aiming at phase-out of its use as fast as possible and within 10 years of entry into force of the Convention
2035	Art 3, para 4	Primary mining of mercury that was conducted within a Party's territory at the date of entry, is to cease 15 years after that date
2020	Art 5	Submit to the secretariat information on the number and types of facilities covered under Annex B, and the amount of mercury or mercury compounds used
	Art 7	Submit NAP to secretariat if developed
	Art 9	Identify relevant point source categories
2021	Art 8 and 9	Submit National Implementation Plan if one has been developed

2022	Art 8	Require BAT/BEP for new facilities
	Art 8	Develop and maintain an inventory of emissions sources
	Art 9	Develop and maintain an inventory of release sources
2017	Art 8	Require measures for control on existing facilities

600

601 46. Second, various important identified data sets and information sources that have been
602 produced in the past are not required under the Convention, and thus the production of
603 similar reports in the future is not assured or governed by Convention requirements.
604 These include Minamata Initial Assessment, as well as the Global Mercury Assessment
605 (produced 2002, 2008, 2013 and 2018), and the reports on Global Mercury: Supply,
606 Demand and Trade (2006 and 2017).

607 47. Third, some information sources differ in frequency. The ASGM National Action Plans
608 due 3 years after the entry into force of the Convention for that party (or three years after
609 its declaration to the Secretariat that it has more than insignificant ASGM) and must be
610 reviewed every three years thereafter. The regular reports under Article 21 are to be
611 completed every two years for specified questions, with the first short reports due at the
612 end of 2019, and the first full reports that respond to all reporting requirements due at the
613 end of 2021.

614 48. Last, is the consideration of the availability of relevant and comparable scientific and
615 environmental monitoring data. On the one hand, mercury is one of the longest studied
616 chemicals. On the other hand, in considering the available monitoring information and
617 available data on mercury and mercury compounds, the ad hoc technical expert group
618 noted that not all data and matrices are suitable for direct comparison or analysis at the
619 global level, and modelling will be critical to shape our fuller understanding of the
620 presence of mercury and its trends in our environment, as well as to attribute changes in
621 mercury levels to Convention measures.

622 49. The current mercury monitoring arrangements and modelling frameworks are outlined in
623 more detail in Annex I on Technical Information on Monitoring and Annex 3 on the
624 Global Monitoring Arrangements. Table 4 below given an indicative overview of
625 selected monitoring indicators and how they can contribute to the overall effectiveness
626 evaluation. They are to be read in complement with the indicators presented in Table 2 in
627 paragraph 46:
628
629
630

Commented [A8]: This should be reflected in the executive summary.

Overall media	Indicator	Source of info
1. Air	M1. Total gaseous mercury/gaseous elemental mercury in the ambient air	Existing/expanded monitoring activities and networks

	M2. Mercury level in precipitation	Existing/expanded monitoring activities and networks
2. Human	M3. Mercury level in hair as primary matrix	Epidemiological studies by Parties
	M4. Mercury level in blood as alternative	International and national biomonitoring programme Longitudinal birth cohort and cross-sectional studies
3. Biota	M6. Mercury levels in biota	Continental network
	M7. Mercury levels in biota	Oceanic framework
<i>Water as a separate media is included to inform modelling (attribution).</i>		
4. Water	M8. Mercury levels in sea water covering horizontal and vertical distribution	Existing/expanded monitoring activities and networks

631
632

4. Use of modelling in the effectiveness evaluation

633 50. Models provide for the integration of mechanisms and observations and use that to assess
634 projections for future source apportionment. It can be said, that models therefore
635 formalise the scientific understanding of mechanisms affecting mercury behaviour. One
636 critical source of models is to provide a tool for linking and spatially/temporally
637 extrapolating monitoring data collected globally as part of ongoing research programmes,
638 policy activities and data provided by civil society, in order to provide a comprehensive
639 picture of the state of mercury pollution globally. Moreover, integrating modelling
640 frameworks provide a tool to work across media, i.e. for linking releases of mercury to
641 the atmosphere, land and water to methylmercury in fish and wildlife, as well as exposure
642 of human populations.

643 51. Another critical use of models in effectiveness evaluation is to attribute changes to levels
644 in mercury to Convention measures.

645 52. Models for different media (air, human, biota, water, and soil) vary in their ability and
646 state of development. For example, for air and atmosphere, many monitoring groups have
647 developed global modelling tools that can be used to assess the impact of changes in
648 anthropogenic mercury emissions and releases on global atmosphere concentrations, and
649 mercury inputs to terrestrial ecosystems and the ocean. Atmospheric models have been
650 extensively evaluated and can be applied to assess spatial gradients in atmospheric
651 mercury concentrations and deposition, as well as temporal changes. By contrast, models
652 for other media such as land, are still mainly used in research applications.

653
654 53. To bridge linkages across different media, integrated model frameworks seek to link
655 various models used for different media. In this way integrated modelling frameworks

656 provide a tool for linking emissions of mercury to the atmosphere and releases to land
657 and water, to methylmercury in fish and wildlife, and to exposure of some fish-
658 consuming human populations. It is to be noted that a difficult link in integrated
659 modelling frameworks is to human exposure and health outcomes due to the diversity of
660 dietary preferences, food consumption patterns and individual variability in
661 toxicokinetics affecting methylmercury uptake and elimination.

662 54. In addition to models that describe behaviour of mercury in the environment and
663 receptors, a variety of models and quantitative techniques can simulate socio-economic
664 systems to forecast where mercury is present in society and where it might eventually
665 enter the environment. Inputs to these models include commercial data (e.g. amount of
666 mercury in products), technological performance, economic information, energy data,
667 demographic information, policy specifications, and institutional analysis. Outputs can
668 include emissions and releases of mercury, and socio-economic parameters. Other types
669 of models that are relevant to understanding socio-economic systems of relevance to
670 mercury include life-cycle analysis, materials flow analysis, input-output, and economic
671 models.

672 55. Developing and evaluating integrated models draws on expertise that bridges natural
673 science, social science, and engineering. The components for an integrated modelling
674 framework are currently undergoing rapid development in the scientific and academic
675 community and should be available for our greater understanding of mercury cycling and
676 its impacts in the near future. Pending their availability, reliable and robust models
677 should be used.

678 5. Scientific and technical functions

679 56. The framework foresees two scientific and technical functions to be performed for the
680 first effectiveness evaluation cycle, namely a synthesis function, and an integration
681 function. These function at different levels of the framework.

682 a. Monitoring synthesis: Compiling, assessing and summarizing available
683 monitoring data, per the monitoring arrangements in Annex III, to describe the
684 current state of mercury concentrations, as well as trends in the environment,
685 humans and biota, and working with modelling experts as appropriate. The
686 monitoring report developed at level 3 will be the input to future integrated
687 assessment at level 4, and also submitted to the Effectiveness Evaluation
688 Committee.

689 b. Modelling: Analysing the contribution of emissions and releases covered by the
690 Convention to overall mercury concentrations in the environment, and where
691 possible, in humans and biota. Modelling conducted during level 4 will estimate
692 future mercury concentrations that reflect the overall impacts of mercury
693 emissions and releases, from legacy emissions and releases to those predicted in
694 the future under various scenarios, based on the reports made available in the
695 effectiveness evaluation process, as well as available relevant socio-economic
696 information.

697
698
699

Deleted: In this way models can be used to develop scenarios that represent baseline and different policy alternatives.

Deleted: It is expected such models will available by 2023 for policy-relevant analyses. ...

Moved (insertion) [1]

Deleted:

Deleted: ~~<#>~~**Synthesis function:** The first function is to synthesise mercury information collected and compiled by the level 1 to 3 activities. Two streams of information are referred to in this regard: (i) information provided by Parties based on Article 21 reporting, and (ii) information and knowledge that is scientific, peer-reviewed and publicly available. The information is used to respond to the first three policy questions, and the indicators identified, to prepare the four synthesis reports. This function foresees a role for the secretariat, for scientists and experts, and for organisations. This function foresees the production of four synthesis reports, one of which is the Global Monitoring Report, for which a specific expert group is foreseen.¶

Integration function: The second function, which occurs at level 4, is to interpret the information and knowledge collected, compiled and synthesised by the level 1 to 3 activities to interpret the linkages between policy actions, emission reductions and resulting mercury levels, using available data sources, modelling techniques and analytical tools drawn from natural and social sciences. Further this function included also the collection of additional non-mercury information for further analysis that will include, but is not limited to, data on socio-economic and demographic information such as global population trends, trade and industry trends, mitigation and adaptation policies, or on technological innovation information such as alternative products, communication and transport technologies. The intent of this function is to provide an integrative picture through the contextualisation of information for that evaluation cycle of the Convention. The function foresees the production of the Integrated Assessment Report, and the establishment of a specific integrated assessment group of expertise.... The framework also ~~<#>~~ The framework also differentiates between input from the following two:¶

~~<#>~~**Monitoring:** Compiling, assessing and summarizing available monitoring data, per the monitoring arrangements in Annex III, to describe the current state of mercury concentrations, as well as trends in the environment, humans and biota, and working with modelling experts as appropriate. The global monitoring report developed at level 3 will be the input to the integrated assessment at level 4, and also submitted to the Effectiveness Evaluation Committee.¶

752
753
754

6. Institutional Arrangements for the Effectiveness Evaluation

755
756
757
758
759


57. To implement the effectiveness evaluation process described thus far, the framework identifies different entities that may deliver the tasks to compile, summarize and integrate data and knowledge, and to perform relevant scientific and technical analyses. Diagram 2 below displays the activities, outputs and flow of information and knowledge among entities potentially responsible for these tasks.

760


Deleted: <#> The framework also differentiates between the following two:¶

<#>**Monitoring:** Compiling, assessing and summarizing available monitoring data, per the monitoring arrangements in Annex III, to describe the current state of mercury concentrations, as well as trends in the environment, humans and biota, and working with modelling experts as appropriate. The global monitoring report developed at level 3 will be the input to the integrated assessment at level 4, and also submitted to the Effectiveness Evaluation Committee.¶

Moved up [1]: <#>**Modelling:** Analysing the contribution of emissions and releases covered by the Convention to overall mercury concentrations in the environment, and where possible, in humans and biota. Modelling conducted during level 4 will estimate future mercury concentrations that reflect the overall impacts of mercury emissions and releases, from legacy emissions and releases to those predicted in the future under various scenarios, based on the reports made available in the effectiveness evaluation process, as well as available relevant socio-economic information. ¶



Deleted:



807
808
809
810

811 **Minamata Convention Secretariat**

812 58. The Secretariat will play a role in collecting, compiling, summarizing and synthesizing
813 available data. The Secretariat already has a role, prescribed by the Convention, to act as
814 the mechanism through which Parties submit reports under Article 21, which in turn will
815 contain references to progress reports on the NAPs, under Article 7, to inventories under
816 Articles 8 and 9; and voluntary NIPs under Article 20. The Secretariat may, as
817 appropriate, be assisted by groups of experts or hired experts, conduct literature reviews,
818 produce datasets for further analysis or organize synthesis and peer review.

819 59. These datasets will be processed at level 3 for calculating/ tabulating process and
820 outcome indicators. The Secretariat will also become responsible for facilitating synthesis
821 reports that combine these indicators with other relevant information, including
822 commissioning external expertise where necessary, as UNEP has done in previous efforts
823 – for example, under the Global Mercury Assessment (2018), the report on Global
824 Mercury Supply, Trade and Demand (2017) and the Global Mercury Waste Assessment
825 (2018).

826 60. The Secretariat will also compile summaries and synthesis reports resulting from other
827 processes mandated by the Convention, such as reports from the Implementation and
828 Compliance Committee under Article 15, reports from bodies implementing the financial
829 mechanism, the report on the effectiveness of the finance mechanism, required under
830 Article 13, paragraph 11 (which will draw inter alia on reports such as GEF report and
831 the SIP report) and the Secretariat’s report on Capacity Building and Technical
832 Assistance. All synthesis reports and summary documents will be eventually submitted to
833 the Effectiveness Evaluation Committee as supplementary information for their
834 consideration at level 5.

835 **Delivery of the scientific and technical functions**

836 61. The framework puts forward that the scientific and technical functions can be delivered
837 as follows:

- 838 ↓
- 839 a. **Integration Assessment Group:** This group will be activated once the COP
840 decides that proven, reliable and robust tools and models are available. A possible
841 future refinement of the framework could include more detailed information on
842 integrated assessment.

843 **Effectiveness Evaluation Committee**

844 62. The Effectiveness Evaluation Committee at level 5 will use the four synthesis reports to
845 consider the policy questions posed in the framework, supplemented by the future
846 Integrated Assessment Report and from that derive conclusions about the effectiveness of
847 the Convention. The Effectiveness Evaluation Committee will have a substantive role and
848 be supported by the Secretariat in order to formulate recommendations aiming at
849 improving the effectiveness of the Convention. The Committee may include in its report
850 suggestions for improving the effectiveness evaluation framework. Terms of reference
851 for the Committee are found in Annex II.

Deleted: These reports (and underlying data where needed) will be transmitted for integrated assessment at level 4...

Deleted: Scientific and Technical Expertise: A scientific and technical grouping comprising of individuals with extended expertise on monitoring, scientific and technical assessment, and natural and social sciences and research relevant to mercury, is to deliver the activities of level 1 to 3, to produce the four synthesis reports. For this purpose, there are roles for the secretariat, for scientists and experts, and for organisations. This group will include a specific group of monitoring and modelling experts to coordinate monitoring and modelling activities that produces the Global Monitoring Report (a synthesis report). ...

Formatted: Indent: Left: 2.54 cm, No bullets or numbering

Deleted: A small separate group is required, at level 4, to produce the Integrated Assessment Report for the Effectiveness Evaluation Committee. Specific chapter and section authors led by a chief author will be identified to comprise this group. The group will necessarily be multi-disciplinary in nature, and authors will be identified according to their most suitable expertise. For attribution functions, the group will include modellers. Additionally, this group will also be supported by communication expertise to ensure the results of this integrated assessment are summarised and presented in visual forms (e.g. a dashboard type score table summarising progress)....

Deleted: supplemented by the four synthesis reports to consider the policy questions posed in the framework, ...

Deleted: will

883 **Conference of the Parties**

884 63. The ultimate responsibility for evaluating the effectiveness lies with the Conference of
885 the Parties at Level 6. In this framework, the intention is for the Conference to consider
886 the recommendations of the Committee, and then make determinations about any needed
887 changes to or strengthening of Convention measures. The Conference may also choose to
888 mandate changes in the procedures for future effectiveness evaluation cycles.


889
890 **Additional proposal to deliver scientific and expert functions**

891
892 64. The implementing structure for the scientific and expert functions can also be delivered
893 by an external entity following a bidding process. In this case, the Secretariat could be
894 asked to call for proposals that include, but is not limited to, the approach to complete
895 necessary tasks, structure to implement these tasks, associated costs, etc. Should an entity
896 for delivery of this function be selected through a bidding process, full information on the
897 process will be reported to the Conference of the Parties.

898

899 **7. Schedule and timetable**

- 900 65. Paragraph 1 of Article 12, Effectiveness Evaluation, holds that the Conference of the
 901 Parties shall evaluate the effectiveness of the Convention no later than six years after the
 902 entry into force of the Convention, and periodically thereafter at intervals to be decided
 903 on.
- 904 66. As the Convention entered into force on 16 August 2017, the outcome of the first cycle of
 905 evaluation it to be submitted in 2023. The fifth meeting of the Conference of the Parties
 906 will convene in that year.
- 907 67. Taking into account the four-year cycle of reports under Article 21 (Reporting), the
 908 regular reports due to the Conference of the Parties on Article 13 (Financial resources and
 909 mechanism) and Article 14 (Capacity-building, technical assistance and technology
 910 transfer), as well as the monitoring data available, the date line for comparable
 911 information for this first cycle of evaluation is recommended to be set as 2021.
- 912 68. This allows 2022 and 2023 to be utilised by the Effectiveness Evaluation Committee for
 913 its review and analysis to be finalised to be presented to the fifth meeting of the
 914 Conference of the Parties.
- 915 69. The timeline for the first cycle of the effectiveness evaluation of the Convention is set out
 916 in Diagram 3 below:
 917
 918



Commented [A10]: This needs to be amended in line with the proposals made for above table i.e. integrated assessment not for first effectiveness evaluation cycle.

- 919
 920
 921 70. As the Conference of the Parties from its fourth meeting onwards, is to convene every
 922 two years, the future effectiveness evaluations would follow this six-year cycle.
 923

924 **IV. Issues for further considerations**

925
926

927 71. The ad hoc technical expert group proposes a framework for effectiveness evaluation that
928 follows a flow of information from level 1 to level 6, and identifies different entities that
929 fulfil different functions and roles in the process. While some of these entities already
930 exist (i.e. those for administrative and programme support, compilation of data for
931 synthesis reports, etc.), there are others who are to perform vital scientific and technical
932 functions to implement the framework, that are not in place yet.

933 72. The framework foresees producing: (i) four synthesis reports (one of which is the Global
934 Monitoring Report), and when the COP decides robust and reliable tools and models are
935 available, (ii) the integrative picture (the Integrated Assessment Report). These reports
936 are to link monitoring to pressure reduction and inform the deliberations of the
937 Effectiveness Evaluation Committee, which in turn reports the outcome of its evaluation
938 to the Conference of the Parties.

939 73. To operationalise the all constituent elements of the framework, the Conference of the
940 Parties will need put a number of entities into place. Most entities conducting the
941 activities at the different levels are identifiable. They include, the Monitoring Group
942 (which is to produce the Global Monitoring Report), and the Effectiveness Evaluation
943 Committee (which is to present its evaluation report to the Conference of Parties). These
944 can be put into place by the Conference of the Parties.

945 74. What is still to be clarified by the Conference of the Parties is which entities will produce
946 the following reports: (i) Emissions and Releases Report, (ii) Trade, Supply and Demand
947 Report, and (iii) Art. 21 synthesis report.

948

949

Deleted: two scientific and technical functions

Deleted: to produce

Deleted: thereafter

Deleted: to produce

Deleted: and Modelling

Deleted: the Integration Assessment Group (which is to produce the Integrated Assessment report), ...

Commented [A11]: Should be done by Secretariat or sub-contractor, if not UNEP Chemicals

Deleted: Waste Management Report

958
959
960
961

Suggested action by the Conference of the Parties

75. The Conference of the Parties may wish to consider the recommendations of the ad hoc expert group on the proposed framework for the effectiveness evaluation, and may wish to adopt a decision along the following lines:

The Conference of the Parties,

Welcoming the report on the proposed effectiveness evaluation framework and monitoring arrangements under the Minamata Convention on Mercury, and complementing information developed by the ad hoc technical expert group on the basis of mandates provided in decision MC-1/9 and decision MC-2/10;

Welcoming monitoring activities already in place and efforts of Parties and others to support the provision of monitoring data on mercury and their availability in the future;

Acknowledging the available modelling capacities for the use in the effectiveness evaluation;

1. *Adopts* the framework for the effectiveness evaluation proposed for the Minamata Convention, including its methodology, indicators, reports, schedule and timeline;
2. *Adopts* the terms of reference and mandate of the Effectiveness Evaluation Committee to perform the evaluation;
3. *Decides* to establish the committee at its fourth meeting;
4. *Establishes* a [monitoring group] to produce a global monitoring report and recommendations for SOPs for monitoring activities by its fourth meeting, to enable Effectiveness Evaluation Committee to convene ahead of its fifth meeting to complete the first evaluation of the Minamata Convention;
5. *Requests the Secretariat* to support the work of the effectiveness evaluation, and to continue to collect information relevant to the effectiveness evaluation including for the development of synthesis reports, working with relevant experts and organizations;
6. *Requests* the group on monitoring to work in line with its terms of reference including the finalization of monitoring guidance and develop a global monitoring report by COP4 to support the first effectiveness evaluation;
7. *Encourages* Parties to engage actively in the implementation of the effectiveness evaluation framework, in particular, to:
 - a) Continue to monitor mercury and to share the resulting monitoring data through the group established pursuant to paragraph 3;
 - b) Collaborate to develop and improve modelling as needed, and carry on geographically representative monitoring of mercury in the environment, in humans, and in biota;
 - c) Use tools supporting data harmonization identified such as standard

Deleted: [scientific and technical group]

Deleted: and modelling

Deleted: perform the scientific and technical functions that enable the timely production of the required synthesis reports ...

Deleted: the integrative work to be done for the

Deleted: and modelling

operating procedures (SOPs), methodologies and techniques identified by the ad hoc expert group; and

- d) Support the further development and long-term implementation of the global monitoring arrangements, if in a position to do so.

969

970

971 **Annex 1: Technical information on monitoring**

972

973 **1. Introduction**

974 1. This annex summarizes the work done by the ad hoc group with regard to global
975 monitoring arrangements at its two meetings in March 2018 and April 2019, and through
976 electronic communication.

977 2. It starts in Section 2 with the identification of categories of the available comparable
978 monitoring data most effective in providing information on global trends, monitoring data
979 in air, water, biota, and humans that could be used to assess the impact on levels and
980 trends of mercury, and the potential and limitations of the data identified. Section 3
981 further assesses the extent to which the information reviewed meets the needs for
982 effectiveness evaluation, identifies major gaps, outlines options to enhance the
983 comparability and completeness of the information, and compares these options for their
984 cost-effectiveness, practicality, feasibility and sustainability, global coverage, and
985 regional capabilities to identify opportunities for future enhancements to monitoring.
986 Section 4 identifies available modelling capabilities to assess changes in global mercury
987 levels within and across different media. Section 5 examines options and identifies
988 sources of data that can be used for establishing a baseline for monitoring data. Further
989 discussion on the development of guidance for monitoring and proposed monitoring
990 arrangements is included in Annex 3 on terms of reference for global monitoring
991 arrangements.

992 3. A large amount of other relevant technical information on monitoring complementing the
993 proposal in this annex including an overview of available monitoring information, is
994 available in a reference document as UNEP/MC/COP.3/INF/xx.

995

996 **2. Identification of monitoring information/data**

997 **How monitoring activities may contribute to the development of the effectiveness**
998 **evaluation framework**

999 4. In considering monitoring information and data, the ad hoc group considered matrices
1000 outlined in MC-2/9: air, biota, humans and water. The ad hoc group concluded that data
1001 on levels of mercury and mercury compounds in air, biota and humans either are available
1002 or would be able to be obtained, and would be comparable on a global basis. Some experts
1003 were of the opinion that data on water are available on a global basis to some extent. The
1004 availability and comparability of monitoring data for each matrix are discussed below.

1005 5. Mercury levels in the atmosphere is directly linked to the emissions from the
1006 anthropogenic sources identified by the Convention. The atmospheric monitoring
1007 activities will contribute to the evaluation of the effectiveness of the Convention by
1008 determining whether the levels of mercury are increasing or decreasing in the atmosphere
1009 as per changes in the emissions of mercury and enable the modelling results to define
1010 source-receptor relationships. Also, this data will contribute to the predictive capabilities
1011 of regional and global models of mercury impacting the environment, which may also be
1012 affected by other atmospheric chemistry issues.

1013 6. Human biomonitoring has the following advantage in contributing to the effectiveness
1014 evaluation of the Convention: provides information on exposure to mercury from all types
1015 of sources; integrates the results of the different types of risk reduction measures, and
1016 provides information on geographical distribution enabling identification of areas and
1017 population groups requiring urgent support in terms of risk reduction measures.

1018 7. Biota monitoring has an advantage in contributing to the effectiveness evaluation of the
1019 Convention by tracking changes of environmental mercury levels at regional and global
1020 levels to determine protection of human health and the environment.

1021 **Ambient air**

1022 8. Mercury levels in ambient air have been measured in some locations for a very long
1023 period. These data have contributed to the discussion on the global nature of the mercury
1024 issue. The current available data is collected by various national and global network
1025 owners using different sampling methods. It was recognized that none of the currently
1026 available data had global coverage, but that there are potential suitable methods to obtain
1027 such global data (as identified in GMA 2018). Overview of existing networks is available
1028 in the resource document (UNEP/MC/COP.3/INF/XX).

1029 9. A number of suitable methods are available, and the available sampling techniques
1030 considered suitable to obtain globally comparable data were identified and reviewed.
1031 These include:

1032 ▪ Total Gaseous Mercury (TGM) or Gaseous Elemental Mercury (GEM)
1033 concentrations in air at background and impacted sites;

1034 ▪ Wet deposition.

1035 9. TGM/GEM can be measured adopting active continuous monitoring, manual active air
1036 sampling and passive air sampling techniques. Active continuous techniques are in use at
1037 several sites of existing regional and global monitoring networks and provide continuous
1038 TGM/GEM concentrations, whereas manual active and passive sampling are used in
1039 locations where no monitoring infrastructure is available and provide average TGM
1040 concentrations as monthly (or at lower frequency) average.

1041 10. The atmospheric deposition flux of mercury is considered the combination of wet and dry
1042 deposition of mercury to the surface. Measurements of wet deposition are done through
1043 the collection of rain samples and dry deposition either mathematically inferred or
1044 measured through tree debris. Several existing long-term networks collect wet deposition
1045 samples but, due to a lack of comparable standard procedures, dry deposition is not always
1046 measured. The amount of total mercury measured in atmospheric deposition samples is
1047 used as basis to calculate the total atmospheric deposition flux associated to a precipitation
1048 (rain or snow) event.

1049 11. Validated atmospheric mercury models are needed to assess source-receptor relationships
1050 and evaluate the relative importance of each anthropogenic source and/or emission source-
1051 region in the global mass balance of mercury with changing mercury emission regime,
1052 meteorological conditions and climate forcing. Good global coverage of monitoring data
1053 of mercury in ambient air and deposition samples are also of fundamental importance to
1054 validate these atmospheric models. Further details are provided in
1055 UNEP/MC/COP.3/INF/XX.

1056 **Human exposure**

- 1057 12. All people are exposed to some amount of mercury. For many communities worldwide,
1058 dietary consumption of fish, shellfish, marine mammals, and other foods is arguably the
1059 most important source of methylmercury exposure. Exposures to elemental and inorganic
1060 mercury mainly occur in occupational settings (including artisanal and small-scale gold
1061 mining) or via contact with products containing mercury. There remains high concern for
1062 vulnerable groups including various indigenous populations with high dietary or
1063 occupational exposure to mercury.
- 1064 13. Human biomonitoring to assess general population exposure to mercury (i.e. background
1065 level rather than “hot spots”) provides information on global trends. In the general
1066 population, assessment of hair, and in addition and if available blood matrix exposure is
1067 recommended because humans are the most vulnerable to methyl mercury exposure.
- 1068 14. There are two main biomarkers:
- 1069 ▪ Total mercury in scalp hair (3 cm hair strand from the scalp, to measure exposure
1070 during the 3rd trimester).
 - 1071 ▪ Total mercury in blood.
- 1072 15. Scalp hair is a preferable biological matrix. It is easily available, a non-invasive method,
1073 and there are no specific requirements for transportation and storage.
- 1074 16. Blood is an additional matrix to hair. Inclusion of blood in a survey provides several
1075 additional advantages such as: demonstration of exposure to mercury to humans. As an
1076 alternative to blood and if feasible, cord blood can be sampled (cord blood analysis
1077 characterizes both exposure of a mother and a child to mercury during pregnancy);
1078 possibility to get more reliable results and exclude influence of external factors (e.g.
1079 external contamination of hair by mercury, permanent hair treatment decreasing mercury
1080 in hair); [being an alternative biological matrix to hair in locations where hair sampling is
1081 difficult due to cultural, ethical, religious specificities].
- 1082 17. There are reliable, although variable, coefficients allowing comparability of results from
1083 the mercury measurements in hair and blood/cord blood.
- 1084 18. Assessment of total mercury is sufficient for characterizing exposure, unless external
1085 exposure of scalp hair needs to be evaluated.
- 1086 19. In addition to general population exposure, parties may conduct biomonitoring in other
1087 vulnerable populations including the occupationally exposed and in hot spot areas. These
1088 data may provide additional information of use for effectiveness evaluation, for example
1089 when repeated over time in the same populations.
- 1090 20. The Global Mercury Assessment 2018 has identified currently available data on mercury
1091 exposure in regional and national human biomonitoring programmes, longitudinal birth
1092 cohort studies and cross-sectional information in specific populations including high
1093 exposure groups.
- 1094 ▪ In regional and national human biomonitoring programmes, some information may be
1095 comparable (depending on the ability to disaggregate data by sex and age within the
1096 programme). Such studies are only available in a very small number of countries,

Deleted: prenatal

Commented [A12]: Assessment of hair and if available blood are the preferred matrix

Deleted: the

Deleted: fetus is

Deleted: maternal

Deleted: cord

Deleted: Cord b

Deleted: can be

Deleted: alternative

Deleted: cord

Deleted: pre-natal

Deleted:

Commented [A13]: It should be emphasised that cord blood may be very challenging and difficult to sample in some regions and blood samples may be easier to obtain-

- 1108 primarily in the northern hemisphere. Such studies are expensive and therefore not
 1109 feasible for the sole purpose of monitoring global mercury exposure.
- 1110 ▪ Comparable and high-quality data exists from a number of longitudinal birth cohort
 1111 studies, including in groups consuming large amounts of seafood, freshwater fish
 1112 and/or marine mammals. These are available only in a small number of locations,
 1113 and are not globally representative.
 - 1114 ▪ The GEF-funded project “Development of a Plan for Global Monitoring of Human
 1115 Exposure to and Environmental Concentrations of Mercury” has generated
 1116 comparable data in a small number of additional countries, using the WHO protocol.⁵
- 1117 21. Total mercury in urine is relevant for populations with high exposure to elemental and
 1118 inorganic mercury, and is not appropriate for assessment of methylmercury exposure. It
 1119 may be useful for monitoring the impact of control actions taken by parties on mercury
 1120 exposure in mining communities.
- 1121 22. Human biomonitoring has a number of advantages for informing an assessment of the
 1122 effectiveness evaluation of the Minamata Convention, including:
- 1123 ▪ Directly addressing the fundamental question as to whether enough is being done to
 1124 protect human health (Article 1 of the Convention);
 - 1125 ▪ Integrating information on exposure to mercury from different sources;
 - 1126 ▪ Integrating the effects of the range of risk reduction measures taken.
- 1127 23. In using human biomonitoring data, it should be noted that human mercury level is
 1128 affected by many confounding factors such as fish [and marine mammals](#) consumption
 1129 habit (species and amount), age, gender, alcoholic consumption, health condition,
 1130 economic level, etc.

1131 **Biota**

- 1132 24. Biota samples can provide information for different outcomes. Three types of outcomes,
 1133 namely human exposures, environmental health, and temporal trends are identified in
 1134 relation to biota monitoring. There is enough biotic mercury data available regionally and
 1135 globally to assess environmental exposure for spatial and temporal trends for many, but
 1136 not all, ecosystems and biomes of geographic interest. Human exposure to dietary
 1137 methylmercury can originate from fish, birds and marine mammals (with fish forming a
 1138 major contribution, birds forming either a minor or a major component, depending on
 1139 diets, and marine mammals [as](#) a major contribution in certain diets).
- 1140 25. The following samples from four major biomarker groups (taxa) are considered the most
 1141 relevant and are most frequently used for methyl mercury monitoring:
- 1142 ▪ Fish: muscle fillet, muscle biopsy, fin clips, blood
 - 1143 ▪ Sea turtles: scutes, blood, muscle
 - 1144 ▪ Birds: blood, feather, eggs, muscle, eggshells and membranes, liver and kidney

Deleted: which can form

⁵ Assessment of prenatal exposure to mercury: human biomonitoring survey (2018) - the first survey protocol
<http://www.euro.who.int/en/health-topics/environment-and-health/chemical-safety/publications/2018/assessment-of-prenatal-exposure-to-mercury-human-biomonitoring-survey-2018>

- 1146 ▪ Mammals: skin, fur or hair, muscle, liver and kidney
- 1147 26. In assessing samples, it is recommended to assess muscle tissues for fish and marine
1148 mammals. For birds, blood should be used for short term data, muscle or eggs should be
1149 used for medium term and feathers can be used for long term results. It is considered to be
1150 sufficient to assess total mercury for all tissues (assuming greater than 80 per cent
1151 methylmercury mean level) using either wet weight or dry weight. Samples should be
1152 georeferenced, with the level of detail varying according to the objective of the sampling.
1153 Standard operating procedures are available for example through national /regional
1154 monitoring programs, however additional more universal protocols may need to be agreed
1155 on for other sampling which is not covered by this process. Inter-tissue conversions are
1156 generally feasible to help provide a way to have standardized, and therefore comparable,
1157 tissue mercury concentrations.
- 1158 27. Biodiversity Research Institute (BRI) has compiled mercury data from published
1159 literature into a single database, the Global Biotic Mercury Synthesis (GBMS) Database.
1160 This database includes details about each organism sampled, its sampling location, and its
1161 basic ecological data. From each reference, mercury concentrations are averaged (using
1162 weighted arithmetic means) for each species at each location. Data have been compiled
1163 from 1,095 different references, representing 119 countries, 2,781 unique locations, and
1164 458,840 mercury samples from 375,677 total individual organisms (See
1165 UNEP/MC/COP.3/INF/XX⁶).
- 1166 28. GBMS database was also the basis for the UN Environment’s Global Mercury Assessment
1167 – 2018. Examples featured within the GBMS database include datasets for some
1168 geographic areas with extensive temporal and spatial information, including areas for
1169 freshwater lakes in the northern United States, much of Canada, and Scandinavia. These
1170 areas represent over 500,000 fish mercury concentrations over the past 50 years of data
1171 collection – sometimes with standard species. In order to potentially explain how the
1172 temporal trends of fish mercury concentrations change under influence of different drivers,
1173 including environmental/climate change in addition to deposition change, a set of
1174 minimum target information should be developed. For each location this should include
1175 lake (or river, estuary, sea etc.) catchment morphology, pollution deposition patterns, and
1176 local pollution history. For each biota species (here exemplified by fish) minimum data
1177 must include length, weight, sex, and sexual maturity. Samples (i.e. fish muscle) for
1178 determination of total mercury concentrations, may also be analysed for stable isotopes (at
1179 least nitrogen and potentially also carbon) for a better understanding of the food web
1180 processes. Many of these parameters are lacking from current databases. As an example,
1181 inter-annual and intra-annual variability is often much larger than long-term trends,
1182 making it difficult to relate temporal trend changes to large environmental drivers
1183 (including deposition). The spatial variation within the temporal trend must be considered
1184 when investigating convention effectiveness in years to come. To be able to document
1185 potential temporal trends changes, one need to lower the within-year variability, by
1186 improving the data adjustment, include more lake data and information, and collect data
1187 from the same lake over time.

⁶ For more information, see also
http://www.briloon.org/uploads/BRI_Documents/Mercury_Center/Publications/For%20Web%20GBMS%20Booklet%202018%20.pdf

1188 **Water and soil**

1189 29. Levels of mercury and mercury compounds in water are collected in relation to water
1190 quality issues in a number of countries. These data may be useful in tracking mercury
1191 resulting from local activities which release mercury; however, will not provide overall
1192 trends on a global basis. Levels of mercury in ocean water could be comparable on a
1193 global basis and collected by existing networks and ad hoc research programmes, but
1194 currently such work is done through research-based activities and not dedicated long term
1195 monitoring programmes.

1196 30. Soil samples may be very useful in assessing the state of contamination of a particular site,
1197 but global comparability may not be feasible, given differences in soil types etc. Data on
1198 the levels of mercury in sediments are very relevant for the associated levels of mercury in
1199 biota; however sampling of sediment was considered not as widespread, nor as easily
1200 comparable on a global basis, at this time. Currently, this work is done through research-
1201 based activities and not dedicated long term monitoring programmes.

1202

1203 **3. Comparability, gaps and options for filling gaps**

1204 **Air**

1205 31. Figure 1 shows the current monitoring efforts for TGM/GEM. From this figure it can be
1206 seen that the gaps of TGM/GEM information could be filled by enhancing the current
1207 networks that are conducting atmospheric mercury monitoring. Such expansions would
1208 include areas within South America, Africa, the Caribbean, parts of Asia, Russia, and
1209 Oceania.

1210

1211

1212

1213

1214

1215

1216

1217

1218

1219

1220

1221

1222


1223

1224

1225

1226

1227



1228 **Figure 1** – Existing monitoring networks measuring Hg concentrations in air.

1229

1230 32. The following are recommended:

- 1231 ▪ Couple current monitoring of TGM/GEM with new technologies (including passive
- 1232 and active mercury sampling);
- 1233 ▪ Expand current monitoring networks, where possible, to fill in data gaps;
- 1234 ▪ Employ currently-used standard procedures for data collection and treatments, where
- 1235 possible;
- 1236 ▪ Conduct intercomparisons of measurement technologies and data treatment among
- 1237 networks;
- 1238 ▪ Fill geographical data gaps of information using manual active or passive sampling
- 1239 methods;
- 1240 ▪ If feasible, couple manual active or passive air measurements with active and wet/dry
- 1241 deposition measurements;
- 1242 ▪ Conduct sampling at least on a quarterly basis (either averaged with active sampling
- 1243 data or integrate over 3 months with passive sampling) to assess seasonal variation;
- 1244 ▪ Prioritize gaps identified in the global mercury assessment and other literature for the
- 1245 establishment of new site locations.

1246 33. In elaborating future strategies aiming to fill geographical gaps of atmospheric mercury
 1247 monitoring data it is recommended to ensure the operation of about 30 monitoring sites
 1248 with manual active or passive air sampling in large geographical areas such as Africa,
 1249 Latin America and Russia placed in locations that may provide information on regional /
 1250 local background Hg concentrations. The suggested number of sites is only indicative: a
 1251 larger number of sites using manual active or passive air sampling in these areas would
 1252 certainly allow to have a better geographical distribution and representativeness of the
 1253 regional/local emission regimes, meteorology and transport/deposition patterns. A cost
 1254 analysis for air monitoring including the proposed sampling can be found in
 1255 UNEP/MC/COP.3/INF/XX Part I Section 4.

1256 **Humans**

1257 34. Studies using the WHO protocol for assessment of prenatal exposure to methylmercury
 1258 are recommended to fill the data gaps in order to obtain a global picture necessary for
 1259 effectiveness evaluation. The protocol enables collection of comparable data (e.g. hair
 1260 samples from 250 people per study location with minimum diversity recommended). The
 1261 studies are country-driven. Local ethical (Institutional Review Board) clearance is
 1262 required and the studies are conducted within the health system, therefore country
 1263 approval is a given. Each country owns its data and submission of results is voluntary.

1264 35. Article 17 of the Minamata Convention on Mercury specifies in paragraph 1(d) that each
 1265 party shall facilitate the exchange of epidemiological information concerning health
 1266 impacts associated with exposure to mercury and mercury compounds, in close
 1267 cooperation with the World Health Organization and other relevant organizations, as
 1268 appropriate. The compilation and exchange of data on mercury levels obtained through
 1269 human biomonitoring should be undertaken in line with this article of the Convention.

1270 36. To facilitate the generation of globally representative data and trend information on human
 1271 biomonitoring, which will be most relevant for effectiveness evaluation, an oversight body
 1272 should be kept informed of the studies planned and carried out.

1273 37. Data quality issues are covered by the WHO protocol. Results of the measurements must
 1274 be analytically comparable between laboratories/different studies. To ensure

Commented [A14]: In some regions cord blood is used as monitoring matrix while in other regions the blood is used as matrix. Blood and cord blood should have same status as an additional matrix to hair.

As such other protocols should as well be recommended.

Deleted: o

Commented [A15]: Other QA protocols should also be addressed here as an option!

1276 comparability, each national survey would need to follow the WHO harmonized SOPs for
1277 sampling and analytical methods, and develop procedures for quality assurance and
1278 quality control that cover the pre-analytical phase. The availability of appropriate
1279 reference materials (samples with a certain level of mercury)⁷ supports internal quality
1280 assurance. External quality assurance should be done through international inter-
1281 laboratory comparison investigations. Coordination of the studies will contribute to ensure
1282 appropriate quality control measures.

1283 38. The WHO protocol also covers data management, analysis and evaluation issues,
1284 including whether this should be done at the national and/or international level. It
1285 recommends that participating countries conduct statistical analyses at the national level
1286 and submit anonymized data for statistical analysis to a central database. The aim of a
1287 statistical analysis at the international level is to assess associations between biomarker
1288 values and predictors such as age, gender, fish consumption habits, etc. (collected via
1289 questionnaire) in a pooled dataset. Data communication issues are also addressed in the
1290 WHO protocol and particularly for indigenous peoples in AMAP Human Health
1291 Assessments. These communication issues include communication of the results within
1292 the country, to the individuals participating in the study and to policy makers. It should be
1293 noted that, in some countries, national guidelines relating to communication of results may
1294 already exist.

1295 39. The UNEP/WHO GEF Global Monitoring Project demonstrated generation of data using
1296 the WHO Protocol in developing countries to be cost-effective, practical and feasible. The
1297 project built local capacities to conduct such studies, which can therefore be repeated over
1298 time and in a range of locations to fill gaps, as described in paragraph 20.

1299 **Biota**

1300 40. It has been recognized that there is a large amount of published data available, as well as
1301 unpublished data collected for commercial and governmental purposes. However, it is not
1302 clear to what extent published and other data reflect background information on mercury
1303 concentrations, or whether existing data emphasizes areas where high mercury
1304 concentrations are expected. As previously described, the large , biotic mercury
1305 concentration datasets from the northern United States, Canada and Scandinavia revealed
1306 that levels in freshwater fish from lakes with local mercury sources responded to
1307 regulation and management. Further evaluation work on existing data is required to gather
1308 all currently available globally representative biotic mercury data, to assess what data are
1309 relevant, comparable and able to be harmonized. This process has been started with the
1310 partly UNEP funded GBMS dataset, which will allow a clearer identification of data gaps,
1311 which may be geographic or taxonomic.

1312 41. The Arctic Monitoring and Assessment Programme (AMAP) is one of the best examples
1313 of how to operate a long-term Hg biomonitoring field program for the benefit of both
1314 human and ecological health (AMAP 2011, 2015). Whereas, the WHO Global
1315 Environment Monitoring System - Food Contamination Monitoring and Assessment
1316 Programme, commonly known as GEMS/Food, has one of the best global systems for

⁷ A list of existing reference materials can be found in UNEP/MC/COP.3/INF/XX Part II.

1317 collecting fish Hg data through their network of collaborating centers and recognized
1318 national institutions (WHO 2018).

1319 **Cost analysis**

1320 42. A table summarizing the cost, practicality, feasibility, sustainability, comparability and
1321 coverage of currently-used monitoring methods for air, humans, biota and water is
1322 included in UNEP/MC/COP.3/INF/XX.

1323

1324 **4. Available modelling capabilities to assess changes in global mercury levels within and**
1325 **across different media**

1326 43. Table 1 summarizes the capabilities of models to assess changes in global mercury levels
1327 within and across different media. Models for different media (air, water, land, biota) vary
1328 in their ability and state of development. Atmospheric models have been extensively
1329 evaluated and can be applied to assess spatial gradients in atmospheric mercury
1330 concentrations and deposition, as well as temporal changes. By contrast, models for other
1331 media such as land are still mainly used in research applications. Further explanation
1332 including reference to specific available models and example geographic presentation of
1333 calculations from existing models can be found in UNEP/MC/COP.3/INF/XX.

1334 44. Integrated modeling frameworks can illustrate pathways by which primary releases of
1335 mercury to the atmosphere, land and water reach methylmercury in fish and wildlife as
1336 well as exposure of some fish consuming human populations. At present, integrated
1337 modeling frameworks are under development and available as a research product.
1338 Integrated models have not previously been applied or compared in global assessment
1339 efforts. Coupled atmosphere-ocean and atmosphere-terrestrial have been published in the
1340 peer-reviewed literature by a few research groups. With additional model evaluation,
1341 updates should be available to begin policy-relevant analyses by 2023. Models for food
1342 web bioaccumulation of methylmercury are also available from selected groups and can be
1343 used to describe accumulation patterns at the ecosystem scale (lakes, wetlands, estuaries,
1344 contaminated sites) and for global marine food webs. The most difficult link in integrated
1345 modeling frameworks is to human exposure and health outcomes due to the diversity of
1346 dietary preferences, food consumption patterns and individual variability in toxicokinetics
1347 affecting methylmercury uptake and elimination. All these components of integrated
1348 modeling frameworks are rapidly developing in the scientific community.

1349

1350

1351
1352

Table 1. Summary of available modeling capabilities for individual media.

Media/Availability	Indicators needed for model input	Output provided	Gaps still to be filled
<p><i>Socio-Economic Modeling: Some Availability</i></p> <p>Global emission models (forecasting up to 2050)</p>	<p>Inputs: socio-economic activity data (production, population, GDP), material flow and policy specifications</p> <p>Evaluation: intercomparison and past performance, Anthropogenic material flow</p>	<p>Global demands, Emission and release scenarios</p>	<p>Mercury emission factors to be refined (regional, site, etc.), data on mercury content of commodities to be collected, consistency across sectors and non-mercury policies to be explored (e.g. energy)</p>
<p><i>Air: Widely Available</i></p>	<p>Inputs: Global emissions</p> <p>Evaluation: Atmospheric measurements; Wet and dry deposition data</p>	<p>Atmospheric concentration; deposition; temporal changes; attribution by source region</p>	<p>Harmonized emissions inventories to be established</p>
<p><i>Water: Research Product; Some Availability</i></p> <p><i>Global Oceans</i> Global ocean models (MITgcm, NEMO model)</p> <p><i>Estuaries (site specific); Freshwater/rivers (site specific)</i></p>	<p>Inputs: Spatially resolved global atmospheric Hg inputs (wet + dry) – Concentrations of Hg and MeHg in rivers (globally)</p> <p>Evaluation: Measured seawater total and methylmercury, and Hg⁰ concentrations; These are being collected through networks (GEOTRACES/CLIVAR)</p>	<p>Seawater MeHg in global oceans</p> <p>Total Hg concentrations in seawater globally for surface/deep ocean</p> <p>Temporal changes</p>	<p>Seawater Hg species data somewhat sparse but improving</p> <p>Data on Hg and MeHg in global rivers largely lacking</p>
<p><i>Soils/Land: Research Product – Some Availability</i></p> <p><i>Global soils</i> Global terrestrial mercury model (GTMM)</p>	<p>Inputs: Atmospheric deposition (model input) Emissions releases to land/water (very preliminary and coarse spatial resolution)</p> <p>Few data on runoff from contaminated sites</p>	<p>Soil Hg concentrations globally</p> <p>Hg in global rivers</p> <p>“Hot spots” most</p>	<p>MeHg simulation for terrestrial environments other than site specific assessments still to be done.</p> <p>Ground truthing</p>

ASGM/Contaminated sites (not yet integrated into global models but would be useful)	Global land cover data and atmospheric inputs Evaluation: Soil Hg data (good data for North America, parts of Europe)	sensitive to Hg inputs and likely to affect biota/human populations	global “hot spot” analysis is needed. Data on locations of ASGM and releases/contaminated sites to be collected.
Biota: Research Product – Some Availability Food web bioaccumulation model for marine ecosystems (global models for plankton exist/fish under development) Food web model for freshwater ecosystems (site specific)	Inputs: MeHg seawater (model); Fisheries biomass production from primary productivity globally, trophic interactions (available through collaboration with NOAA/GFDL and UBC Nereus projects) Evaluation: Biotic mercury database Trophic level 3 for temporal trend, 4 for spatial gradient analysis	Concentrations of MeHg in fish consumed by human populations; Marine origin of MeHg and Attribution of Hg sources in fish (marine mammals?) by region; Changes due to emissions and climate	Global fish model under development; could link to marine mammals/birds Trophic level 4 data in Asia and Africa to be collected
Humans Exposures of marine fish consumers (globally) <i>Toxicokinetic model linking MeHg ingestion and blood/hair concentrations/outcomes</i> Freshwater fish and rice consumers (site specific data, if applicable) – these may be highest risk populations	Inputs: Biomass and MeHg concentrations in fish consumed by different subsistence populations globally (model); Dietary intake data for different human populations National biomonitoring data (model evaluation)	Goal: Attribution of Hg source contributions to human populations	Mechanisms affecting relationships between external MeHg exposure and blood concentrations/outcomes for different populations are uncertain (research evolving)

Occupational exposures at ASGM sites (site specific)			
--	--	--	--

1353

1354

1355

5. Establishing a baseline for monitoring data

1356 45. In the “before-after” approach where the mercury levels before and after the
 1357 implementation of the Convention, monitoring data close to the beginning and the end of
 1358 the evaluation period can be used. For the first effectiveness evaluation, monitoring data
 1359 before the entry into force of the Convention may be used as baseline.

1360 46. For air, historical monitoring data exist for some part of northern hemisphere. For human
 1361 biomonitoring, data from a limited number of regional and national biomonitoring
 1362 programmes and longitudinal studies may be used. For biota, historical data on mercury
 1363 levels in freshwater fish in limited geographical areas are available. Work is underway to
 1364 analyze available data on ocean fish species.

1365 47. In the “with-without” approach to assess the change in mercury levels attributable to the
 1366 measures taken to implement the Convention, mercury levels for the business-as-usual
 1367 scenario need to be estimated using integrated modelling framework described above.

1368

1369 **Annex 2: Draft terms of reference of the Effectiveness Evaluation Committee**

1370

1371 **A. Mandate**

1372 1. An Effectiveness Evaluation Committee (hereinafter, “the Committee”) is
1373 established to perform the functions assigned to it by the Conference of the Parties.

1374 **B. Membership**

1375 2. The members of the Committee shall be appointed on the basis of equitable
1376 geographical distribution, taking into account gender and the need for a balance
1377 between types of expertise.

1378 3. The Committee shall consist of twelve experts, as follows:

1379 (a) Ten experts designated by parties representing the five United Nations
1380 regions, and confirmed by the Conference of the Parties;

1381 (b) One expert representing the monitoring arrangement;

1382 (c) One expert representing the implementation and compliance committee.

1383 4. Experts designated by parties and confirmed by the Conference of the Parties
1384 shall have expertise in evaluation, reporting and national implementation, financial
1385 or technical assistance, or other expertise relevant to the evaluation.

1386 5. Experts from the implementation and compliance committee shall be selected
1387 by and from among the members of its committee.

1388 5a The expert representing the monitoring arrangement shall be selected from the
1389 members that take part in these arrangements.

1390 5b Members shall provide their expertise in a neutral and impartial manner, and
1391 stand to the evidence presented to the committee.

1392 6. The terms of office shall coincide with a cycle of evaluation as determined by
1393 the Conference of the Parties.

1394 7. If a member is unable to complete his or her term of office, the region
1395 nominating that member shall nominate another person to complete the term.

1396 **C. Invited experts and observers**

1397 8. The Secretariat shall select two internationally recognized experts in
1398 effectiveness evaluation with due consideration to available expertise on the
1399 measures.

1400 9. The Secretariat shall invite one representative of the World Health
1401 Organization as an observer.

1402 10. The committee will invite the participation of up to five experts from civil
1403 society, indigenous organizations, intergovernmental organizations, industry and the
1404 UNEP Global Mercury Partnership as observers. The participation of observers will
1405 be balanced among the above-mentioned groups and gender.

1406 11. The committee may allow additional observers within reasonable limits.

1407 12. Observers shall provide their technical expertise that helps the committee
1408 members interpret the information provided.

1409 **D. Officers**

1410 13. The committee shall elect, from among its members, a chair and a vice-chair.

1411 **E. Administrative and procedural matters**

1412 14. The committee shall apply, mutatis mutandis, the rules of procedure of the
1413 Conference of the Parties, unless otherwise provided in these terms of reference.

1414 15. The committee may establish such arrangements as are necessary to facilitate
1415 its work in line with the present terms of reference.

1416 16. The committee members shall seek to reach agreement by consensus. Should
1417 consensus not be reached by members, the range of their views shall be reflected in
1418 any report to be submitted to the Conference of the Parties.

1419 **F. Meetings**

1420 17. The committee shall hold two face-to-face meeting, to review the information
1421 available for each evaluation cycle and to develop a report to the Conference of the
1422 Parties, subject to the availability of funds and work requirements. Based on the
1423 decisions of the Conference of the Parties, the frequency of committee meetings
1424 may be amended as necessary.

1425 18. Documents to be transmitted to the Conference of the Parties shall be
1426 finalized by the committee at least four months before the meeting of the
1427 Conference of the Parties.

1428 **G. Language of meetings**

1429 19. The working language of the committee shall be English.

1430 **H. Budget**

1431 20. Except for members from developed country parties referred to in paragraph 4
1432 of the present terms of reference, financial support for travel and daily subsistence
1433 allowance shall be made available to committee members, and invited experts and
1434 observers for participation in meetings of the committee according to United
1435 Nations rules and practice.

1436

1437 **Annex 3: Draft terms of reference of the global monitoring arrangements**

1438

1439 **Introduction**

- 1440 1. This annex contains a proposal for global monitoring arrangements building on existing
1441 monitoring activities, knowledge, expertise and proposes the terms of reference for an
1442 expert group to [prepare a synthesis report on monitoring as identified in Section III of
1443 the report] in this Annex.
- 1444 2. In the consideration of the monitoring arrangements, the following key elements were
1445 identified:
- 1446 a. Mercury data and their availability from human health and environmental
1447 monitoring programmes that achieve global coverage and contain at least core
1448 representative data from all regions,
 - 1449 b. Tools supporting data harmonization such as standard operating procedures and
1450 monitoring guidance document,
 - 1451 c. Expertise necessary for gathering and consolidating harmonized information that
1452 ensures comparability and consistency in mercury monitoring data over the long-
1453 term,
 - 1454 d. Modelling capabilities, and
 - 1455 e. Development of a global periodic report on levels and trends of mercury to support
1456 the effectiveness evaluation.
- 1457 3. The text below further elaborates on the key elements identified, but a large amount of
1458 other relevant technical information on monitoring and background complementing the
1459 proposal below is available in a reference document as UNEP/MC/COP.3/INF.xx.
1460 Existing modelling capabilities are reviewed in detail in that INF document as well.

1461 **1. Mercury data and their availability from human health and environmental monitoring**
1462 **programmes**

- 1463 4. Regarding mercury data availability, a review presented in Annex I shows that even if
1464 mercury has one of the largest available collective data sets of recognized environmental
1465 contaminants, data gaps remain. These gaps could be efficiently covered [by Parties](#) with
1466 support of scientific activities and use of already developed materials.
- 1467 5. By continuing existing mercury monitoring activities in a harmonized manner (see Tools
1468 supporting data harmonization below), supplementing them with actions to fill the
1469 geographical gaps, data on levels of mercury and mercury compounds in air, biota and
1470 humans either are available or would be able to be obtained, and would be comparable on
1471 a global basis.
- 1472 6. Below is the proposal for mercury monitoring activities building on existing monitoring
1473 activities and knowledge organized by media. This information should be part of global
1474 mercury monitoring report.

Commented [A16]: The framework should present in more concrete terms how the group will proceed to produce the Global Monitoring Report.

Deleted: carry out tasks related to monitoring indicators identified in the effectiveness evaluation framework in Section III...

1478

Air

1479

7. For air monitoring, it is proposed to continue monitoring activities by existing networks by active continuous monitoring and manual active and passive air sampling techniques and collecting:

1480

1481

1482

- Total Gaseous Mercury (TGM) concentrations in air at background and impacted sites, and

1483

1484

- Atmospheric deposition fluxes.

1485

for assessing spatial and temporal patterns of mercury concentrations in ambient air and deposition fluxes to terrestrial and aquatic ecosystems. Standard Operating Procedures (SOPs) suggest to monitor mercury deposition fluxes with samplers that are “Wet only” or Bulk.

1486

1487

1488

Commented [A17]: Which SOPs?

1489

8. To fill the geographical gaps in continents, samples should be collected to provide average TGM concentrations as monthly (or at lower frequency) average to cover Africa, Latin America and Russia and provide regional/local background TGM concentrations.

1490

1491

1492

Human

1493

9. For human biomonitoring for exposure in the general population the following biomarkers should be used in the Global Monitoring Report:

1494

1495

- Total mercury in scalp hair (3 cm hair strand from the scalp, to measure exposure during the 3rd trimester), or

1496

1497

- Total mercury in blood – recent exposure to methyl mercury.

Deleted: prenatal

Deleted: are recommended

Deleted: maternal

Commented [A18]: If we change the introduction to "should be used" we will need an "or" in between as we only will use blood as an alternative.

Deleted: and

Commented [A19]: Blood or cord blood may be used

Deleted: cord

Deleted: a

Deleted: prenatal

Deleted: C

Deleted: an

1498

10. Maternal scalp hair is the preferable biological matrix to assess human exposure. Blood and cord blood can be the alternative matrixes to hair. Human samples collected in approximately 5- year intervals are feasible for human biomonitoring surveys considering the aim to identify statistically significant differences as well as the time such studies take to implement (including adaptation of the master protocol to local circumstances, local ethical approval, training of staff etc.). Human samples should be accompanied by a series of attributes, e.g. age, gender as well as social/habitual information e.g. fish consumption pattern, economic level, etc.

1499

1500

1501

1502

1503

1504

1505

Commented [A20]: The organisation is coordinated at Convention level whilst the collection and analysis remains at the remit of Parties

Deleted: monitoring program and

Deleted: use an existing to bring in

1506

11. It might be useful to coordinate the sample collection with the survey activities under the Stockholm Convention in order to promote synergies and as the one ethical approval could be used.

1507

1508

1509

12. The Global Mercury Assessment 2018 identified currently available data on mercury exposure in national human biomonitoring programmes, longitudinal birth cohort studies and cross-sectional information in specific populations including high exposure groups. These activities should be continued by Parties and others to provide a long-term information for subsequent effectiveness evaluation.

1510

1511

1512

1513

1514

Biota

Commented [A21]: For more information on data collection, please refer to draft INF document lines 837-848 & table 3.6 for continental framework and lines 941-953 & table 3.7 for oceanic framework

1526 13. For biota monitoring, an important aspect in combining monitoring efforts for
1527 documentation of convention effectiveness would be to define biological species and
1528 proper tissue types for monitoring, to minimize the effects of species-specific
1529 physiological differences. Species that accumulate significant amounts of mercury pose a
1530 potential risk for human health, that are widely distributed over specific geographically
1531 areas, and that exist in numerous historical studies should be prioritized. Additionally,
1532 there is a need to normalize or account for mercury concentrations in biota by size, age
1533 and sex, and these data should be included in the data collection process. The choice of
1534 fish species for sampling should be based on the trophic level, with trophic level 4
1535 (carnivores that eat other carnivores) being most appropriate for decisions related to
1536 human and ecological health assessments.

1537 14. It is proposed that biotic monitoring be separated into two major approaches to account
1538 for major differences in exposure pathways: continental and oceanic frameworks. A large
1539 amount of relevant technical information on the frameworks is available in a reference
1540 document as UNEP/MC/COP.3/INF.xx. Continental framework aims at identifying
1541 ecosystem sensitivity spots that are able to methylate mercury and make it available in
1542 the food web. Oceanic Framework for mercury monitoring in biota covers oceanic areas.
1543 The outcome combines ocean basin, matrix of interest for human consumption that have
1544 global ranges to define spatial gradients (trends) of mercury level in biota.

1545

1546 **2. Tools supporting data harmonisation**

1547 15. Tools supporting data harmonization regarding comparability represent in particular
1548 standard operating procedures, guidance on global monitoring document, and inter-
1549 calibration studies.

1550 16. Document UNEP/MC/COP.3/INF/XX contains a more detailed information on standard
1551 operation procedures (SOPs) already available and their use is encouraged. Review of
1552 data availability therein also comprises information on other available tools for
1553 maintaining data comparability including inter-calibration studies.

1554 17. Further, to maintain harmonized information on mercury levels in environment, existence
1555 of a global mercury monitoring guidance document would be very useful. While
1556 development of such a document is included in the ad-hoc expert group`s mandate, the
1557 group felt that such document can only be prepared once monitoring arrangements for
1558 mercury are agreed. Guidance document could then be prepared swiftly on the basis of
1559 core matrices and available knowledge.

1560 18. Nevertheless, experts prepared elements for the guidance on global monitoring (available
1561 monitoring activities organized per matrix, state of science for monitoring, procedures on
1562 sampling, sample handling, chemical analyses of samples) that is contained in
1563 UNEP/MC/COP.3/INF/XX part two that presents a draft structure of the guidance
1564 document and other relevant information.

1565

1566 **3. Development of a global periodic report**

1567 19. It is proposed that a global mercury monitoring report on status of the environment and
1568 occurrence of mercury is developed in regular and suitable intervals to support the
1569 effectiveness evaluation.

Commented [A22]: Once per effectiveness evaluation cycle?

1570 20. Available globally representative monitoring data would be compiled, assessed and
1571 summarized by relevant experts performing scientific function in this field (see below).

1572 21. Global report would be organized by media and show available monitoring data and
1573 trends in the environment, humans and biota. Global monitoring report would also use
1574 models to predict further trend development.

1575 22. The first global report on monitoring and modelling to the effectiveness evaluation
1576 committee on state of the environment needs to become available for the first meeting of
1577 the effectiveness evaluation committee.

Deleted: <#>Information from the global report would then be also used for contextualization of information in a multi compartment model to capture the socio-economic scenario, baseline and different policy alternatives.¶

1578

1579 4. Expertise necessary for synthesizing monitoring data

1580 23. During the discussions of the effectiveness evaluation framework's science and technical
1581 functions, it became clear that information on the status of the environment and
1582 occurrence of mercury is to be synthesized by an expert body with extended research
1583 expertise to oversee the gathering and consolidation of monitoring data.

1584 24. The group would be assigned to gather information from existing monitoring activities
1585 and compile them into a global synthesis report and assess mercury levels and trends
1586 through the use of models, and thus prepare a global monitoring report as referred to in
1587 Section II of this report. Proposed terms of reference of the group are shown below.

1588

1589 **Draft ToR of the monitoring group**

Commented [A23]: Nothing on funding

1590 **Mandate**

Deleted: and modelling

1591 A monitoring group (hereinafter, "the group") is established to perform the functions
1592 assigned to it by the Conference of the Parties in support of the effectiveness evaluation
1593 including:

Deleted: and modelling [task]

1594 a. Gathering of information from mercury monitoring activities and compilation of the
1595 relevant information including national and scientific data on changes in levels of
1596 mercury in core media taking into account the work already achieved and drawing on
1597 experience from existing monitoring networks on mercury. Changes include spatial and
1598 temporal trends including contextualization through use of models.

1599 b. Preparation of a global monitoring report on mercury for effectiveness evaluation
1600 committee meetings.

1601 c. Development of a monitoring guidance document to provide the COP with
1602 comparable monitoring data on the presence and movements of mercury and mercury
1603 compounds in the environment as well as trends in levels of mercury and mercury
1604 compounds observed in biotic media and vulnerable populations, organize data gathering

1611 and visualization of information. The group should start its work on this task immediately
1612 so that the documents is available for COP4.

1613 d. Update of a monitoring guidance document in line with the latest scientific
1614 knowledge, modelling capabilities and ongoing monitoring activities.

1615 e. Identification of gaps in information/knowledge and development of proposals for
1616 bridging the gaps as a part of the report prepared for consideration by the effectiveness
1617 evaluation committee.

1618 **Membership**

1619 The group members shall be appointed on the basis of equitable geographical distribution,
1620 taking into account gender and the need for a balance between types of expertise.

1621 Each region should nominate two experts for monitoring and modelling (up to three
1622 representatives with expertise on mercury monitoring in core media or participating in
1623 existing monitoring networks on mercury and at least one representative with expertise on
1624 modelling environmental trends/multicompartment models)

Deleted: four

1625 The group will invite the participation of up to five experts from civil society, indigenous
1626 communities, intergovernmental organizations, industry and “global modelling” experts. The
1627 participation of these experts as observers will be balanced among the above-mentioned
1628 groups.

Deleted: 10

1629 The group will invite relevant experts from research communities, Global Mercury
1630 Partnership and existing monitoring networks to assist them in their work and supplement the
1631 most up to date information and scientific knowledge to produce a global report.

1632 The terms of office shall coincide with a cycle of the effectiveness evaluation as determined
1633 by the Conference of the Parties. To maintain continuity, the COP may renew terms of office
1634 of the members for subsequent evaluations. If a member is unable to complete his or her term
1635 of office, the region/sector nominating that member shall nominate another person to
1636 complete the term.

1637 **Officers**

1638 Two co-chairs will be elected by the group to facilitate its meetings.

1639 **Secretariat**

1640 The secretariat will provide administrative and programmatic support to the group of experts.

1641 **Meetings**

1642 The group on monitoring and modelling will meet face-to-face at least three times during an
1643 effectiveness evaluation cycle to deliver a global report on monitoring to the effectiveness
1644 evaluation committee on state of the environment.

Deleted: coordinate monitoring activities on mercury and to ...

Deleted: and modelling

1645 **Language**

1646 English will be the working language of the group.

1652 **Annex 4: Description of the reports to be prepared for the Effectiveness**
1653 **Evaluation Committee**

1654
1655

- 1656 1. The framework foresees five reports being prepared for consideration by the
1657 Effectiveness Evaluation Committee (see Section III of the Report).

1658 **Synthesis Reports**

- 1659 2. Four synthesis reports are to be prepared (level 1 to 3) to respond to the first three policy
1660 questions. Two streams of information feed into these reports: (i) information provided
1661 by Parties based on Article 21 reporting, and (ii) information and knowledge that is
1662 scientific, peer-reviewed and publicly available.

- 1663 3. The content envisaged under each synthesis report is set out below, as are the tasks that
1664 need to be completed, and the expertise required.

1665 i. The **Emissions and Releases Report** is to gather, analyse and synthesise relevant
1666 information on emissions and releases inventories from relevant sources, as
1667 specified in Article 8 and 9, as well as information on the measures taken by
1668 Parties to control mercury emissions and releases, and relevant changes in
1669 emissions and releases. The expertise required for this task includes
1670 emissions/releases inventories, developing or implementing measures to control
1671 mercury emissions and releases from relevant sources, including best available
1672 techniques and best environmental practices, modelling and inventories on
1673 temporal and spatial trends and variability.

1674 ii. The **Trade, Supply and Demand Report** is to gather, analyse and synthesise
1675 relevant information on the mercury flows and social stocks, on trends in trade,
1676 supply and demand for mercury, and on regulatory frameworks and
1677 implementation. The expertise required for this task includes: trade analytics,
1678 sectoral analysis, ASGM expertise, use, changes and alternatives to mercury in
1679 products and processes.

1680 iii. The [Art. 21 synthesis report](#) is to gather, analyse and synthesise relevant
1681 information on [reporting information provided by Parties on Article 3, 5, 7, 8 and](#)
1682 [9 of the Convention.](#)

1683 iv. The **Global Monitoring Report** is to gather information from mercury monitoring
1684 activities and compile relevant information including national and scientific data
1685 on changes in levels of mercury, taking into account the work already achieved,
1686 and drawing on the experience of existing networks on mercury, trends and
1687 models. (See Annex III for detailed information).

1688 **Integrated Assessment Report**

- 1689 4. Based on the synthesis reports and other information linkages need to be made between
1690 policy actions, emission reductions and resulting mercury levels, using available data

Deleted: Waste Management Report

Deleted: mercury waste flows and stocks, track mercury waste management practices and recycling, and on regulatory frameworks and implementation, as well as gaps. The expertise required for this task include: inter-industry relation analysis, waste management policy and practices, and waste disposal engineering. ...

1698 sources, modelling techniques and analytical tools drawn from natural and social
1699 sciences. This will be done in the **Integrated Assessment Report**.

1700 5. It is to be noted that the integrated assessment function will evolve as our understanding
1701 of mercury improves over time. [The Integrated assessment report is to be postponed until](#)
1702 [after the first effectiveness evaluation cycle and until the COP has concluded that proven,](#)
1703 [reliable and robust tools and models are available. Possible future refinement of the](#)
1704 [framework can include more detailed information on integrated assessment.](#)

1705 **Synergies and trade-offs between indicators for improving implementation**
1706 **efficiency**
1707 **Time lags between actions and outcomes**
1708 **Conclusions**
1709 **Appendix: Result “Dashboard” - progress of the indicators in the evaluation**
1710 **framework**

1711

Deleted: For the first round of the effectiveness evaluation, when no previous assessment is available, several ground studies to provide the basis of the evaluation, will need to be conducted. ...With this as <#>With this as background, the content of the integrated assessment report is expected to contain:¶

<#> The examination of time lags between actions and outcomes observed by the subsequent evaluations: Significant time lags for years or even decades due to the slow pace of change in socio-economic systems, and in the physical and biological dynamics of the Earth system will need to be discussed.¶

<#>The examination of the baseline scenario, which draws on a hypothetical ‘business as usual’ setting for when the Convention had not been implemented: The hypothesis will employ assumptions and interpretations that could go beyond the factual presentation. As far as practical, different scenarios will be developed for future forecasting, given that it is expected that population growth, economic development, and global warming will alter the mercury baseline due to the changes in consumption patterns and global material flows.¶

<#>The assessment of the four policy questions, that could go as far as forecasting based on appropriate extrapolation: Several types of modelling can help such an assessment. (It has to be noted, however, that present science has not yet developed reliable models to forecast long-term changes in mercury levels resulting from emissions reductions that take into account the full complexities of mercury in the environment.) Therefore, earlier evaluations on the effectiveness of the Minamata Convention are expected to contain:¶

Deleted: <#>With this as background, the content of the assessment report is expected to contain:¶

<#> The examination of time lags between actions and outcomes observed by the subsequent evaluations: Significant time lags for years or even decades due to the slow pace of change in socio-economic systems, and in the physical and biological dynamics of the Earth system will need to be discussed.¶

<#>The examination of the baseline scenario, which draws on a hypothetical ‘business as usual’ setting for when the Convention had not been implemented: The hypothesis will employ assumptions and interpretations that could go beyond the factual presentation. As far as practical, different scenarios will be developed for future forecasting, given that it is expected that population growth, economic development, and global warming will alter the mercury baseline due to the changes in consumption patterns and global material flows.¶

Deleted: <#>¶
<#>The following chapters are suggested for the Integrated Assessment Report: ¶

Assumptions and baseline scenario setting for the integrated assessment ¶

Assessment of the policy questions¶

Policy question 1: Have the Parties taken actions to implement the Minamata Convention?¶

Policy question 2: Have these actions resulted in changes in emissions and releases of mercury to the environment?¶

Policy question 3: Have these changes in emissions and releases resulted in changes in levels of mercury in the environment, biota and humans attributable to the Convention?¶

Deleted: ¶